







MACROLUX





Article code	Article	Colour	Watt (W)	Light Temperature (°K)	Beam angle (°)
181.2700.15.8	*RACY	Black texture (8)	30	2700	15
181.2700.24.8	*RACY	Black texture (8)	30	2700	24
181.2700.38.8	*RACY	Black texture (8)	30	2700	38
181.3000.15.8	RACY/COB-8 30W 15°	Black texture (8)	30	3000	15
181.3000.24.8	RACY/COB-8 30W 24°	Black texture (8)	30	3000	24
181.3000.38.8	RACY/COB-8 30W 38°	Black texture (8)	30	3000	38
181.4000.15.8	*RACY	Black texture (8)	30	4000	15
181.4000.24.8	RACY/COB-8 30W 24° 4000°K	Black texture (8)	30	4000	24
181.4000.38.8	*RACY	Black texture (8)	30	4000	38



Article code	Article	Colour	Watt (W)	Light Temperature (°K)	Beam angle (°)
181.2700.15.11	*RACY	White texture (11)	30	2700	15
181.2700.24.11	*RACY	White texture (11)	30	2700	24
181.2700.38.11	*RACY	White texture (11)	30	2700	38
181.3000.15.11	RACY/COB-11 30W 15°	White texture (11)	30	3000	15
181.3000.24.11	RACY/COB-11 30W 24°	White texture (11)	30	3000	24
181.3000.38.11	RACY/COB-11 30W 38°	White texture (11)	30	3000	38
181.4000.15.11	*RACY	White texture (11)	30	4000	15
181.4000.24.11	*RACY	White texture (11)	30	4000	24
181.4000.38.11	*RACY	White texture (11)	30	4000	38



Article code	Article	Colour	Watt (W)	Light Temperature (°K)	Beam angle (°)
181.2700.08.15.11	racy/15/2700-11#	White texture (11)	30	2700	15
181.2700.08.24.11	racy/24/2700-11#	White texture (11)	30	2700	24
181.2700.08.38.11	racy/38/2700-11#	White texture (11)	30	2700	38
181.3000.08.15.11	RACY/COB-11 30W 15° DALI	White texture (11)	30	3000	15
181.3000.08.24.11	RACY/COB-11 30W 24° DALI	White texture (11)	30	3000	24
181.3000.08.38.11	RACY/COB-11 30W 38° DALI	White texture (11)	30	3000	38
181.4000.08.15.11	racy/15/4000-11#	White texture (11)	30	4000	15
181.4000.08.24.11	racy/24/4000-11#	White texture (11)	30	4000	24
181.4000.08.38.11	RACY/COB-11 30W 38° 4000°K DALI	White texture (11)	30	4000	38



Article code	Article	Colour	Watt (W)	Light Temperature (°K)	Beam angle (°)
181.2700.08.15.8	racy/15/2700-8#	Black texture (8)	30	2700	15
181.2700.08.24.8	racy/24/2700-8#	Black texture (8)	30	2700	24
181.2700.08.38.8	*RACY/COB-8 30W 38° 2700°K DALI	Black texture (8)	30	2700	38
181.3000.08.15.8	RACY/COB-8 30W 15° DALI	Black texture (8)	30	3000	15
181.3000.08.24.8	RACY/COB-8 30W 24° DALI	Black texture (8)	30	3000	24
181.3000.08.38.8	RACY/COB-8 30W 38° DALI	Black texture (8)	30	3000	38
181.4000.08.15.8	racy/15/4000-8#	Black texture (8)	30	4000	15
181.4000.08.24.8	racy/24/4000-8#	Black texture (8)	30	4000	24
181.4000.08.38.8	racy/38/4000-8#	Black texture (8)	30	4000	38



Article code	Name	Description	Colour
181.0010.01	RACY/HC	Frangiluce a nido d'ape Honeycomb	Black (2)



Article code	Name	Description	Colour
181.0010.02	RACY/CB	Schermo a croce Cross baffle	Black (2)



Article code	Name	Description	Colour
181.0010.03	RACY/SN	Schermo cilindrico Snoot	Black (2)



Article code	Name	Description	Colour
181.0010.04	RACY/WW	Schermo cilindrico a 45° 45° Wall wash	Black (2)