







MACROLUX





Article code	Article	Colour	Light Temperature (°K)	Beam angle (°)	Additional colour	Size (mm)	Watt (W)
2015.0130.09.22	TORCH/T9/130-22 8.6W 250mA 26°	Black (2)	3000	26	Black (2)	130	8,6
2015.0130.09.2700.22	*TORCH T9	Black (2)	2700	26	Black (2)	130	8,6
2015.0130.09.4000.22	TORCH/T9/130-22 8.6W 250mA 26° 4000°K	Black (2)	4000	26	Black (2)	130	8,6





Article code	Article	Colour	Light Temperature (°K)	Beam angle (°)	Additional colour	Size (mm)	Watt (W)
2015.0130.09.2700.296	*TORCH T9	Black (2)	2700	26	Bronze (96)	130	8,6
2015.0130.09.296	TORCH/T9/130-296 8.6W 250mA 26°	Black (2)	3000	26	Bronze (96)	130	8,6
2015.0130.09.4000.296	*TORCH T9	Black (2)	4000	26	Bronze (96)	130	8,6





Article code	Article	Colour	Light Temperature (°K)	Beam angle (°)	Additional colour	Size (mm)	Watt (W)
2015.0130.09.2700.42	*TORCH T9	White (4)	2700	26	Black (2)	130	8,6
2015.0130.09.4000.42	*TORCH T9	White (4)	4000	26	Black (2)	130	8,6
2015.0130.09.42	TORCH/T9/130-42 8.6W 250mA 26°	White (4)	3000	26	Black (2)	130	8,6





Article code	Article	Colour	Light Temperature (°K)	Beam angle (°)	Additional colour	Size (mm)	Watt (W)
2015.0130.09.2700.496	TORCH/T9/130-496 8.6W 250mA 26° 2700°K	White (4)	2700	26	Bronze (96)	130	8,6
2015.0130.09.4000.496	*TORCH T9	White (4)	4000	26	Bronze (96)	130	8,6
2015.0130.09.496	TORCH/T9/130-496 8.6W 250mA 26°	White (4)	3000	26	Bronze (96)	130	8,6





Article code	Article	Colour	Light Temperature (°K)	Beam angle (°)	Additional colour	Size (mm)	Watt (W)
2015.0180.09.22	TORCH/T9/180-22 8.6W 250mA 26°	Black (2)	3000	26	Black (2)	180	8,6
2015.0180.09.2700.22	TORCH/T9/180-22 8.6W 250mA 26° 2700°K	Black (2)	2700	26	Black (2)	180	8,6
2015.0180.09.4000.22	*TORCH T9	Black (2)	4000	26	Black (2)	180	8,6



Article code	Article	Colour	Light Temperature (°K)	Beam angle (°)	Additional colour	Size (mm)	Watt (W)
2015.0180.09.2700.296	*TORCH T9	Black (2)	2700	26	Bronze (96)	180	8,6
2015.0180.09.296	TORCH/T9/180-296 8.6W 250mA 26°	Black (2)	3000	26	Bronze (96)	180	8,6
2015.0180.09.4000.296	*TORCH T9	Black (2)	4000	26	Bronze (96)	180	8,6



Article code	Article	Colour	Light Temperature (°K)	Beam angle (°)	Additional colour	Size (mm)	Watt (W)
2015.0180.09.2700.42	*TORCH T9	White (4)	2700	26	Black (2)	180	8,6
2015.0180.09.4000.42	TORCH/T9/180-42 8.6W 250mA 26° 4000°K	White (4)	4000	26	Black (2)	180	8,6
2015.0180.09.42	TORCH/T9/180-42 8.6W 250mA 26°	White (4)	3000	26	Black (2)	180	8,6



Article code	Article	Colour	Light Temperature (°K)	Beam angle (°)	Additional colour	Size (mm)	Watt (W)
2015.0180.09.2700.496	*TORCH T9	White (4)	2700	26	Bronze (96)	180	8,6
2015.0180.09.4000.496	TORCH/T9/180-496 8.6W 250mA 26° 4000°K	White (4)	4000	26	Bronze (96)	180	8,6
2015.0180.09.496	TORCH/T9/180-496 8.6W 250mA 26°	White (4)	3000	26	Bronze (96)	180	8,6

