






MACROLUX




| Article code | Article | Colour | Type of recessed | Light Temperature (°K) | Watt (W) | Length (mm) |
|----------------------|--|------------|------------------|------------------------|----------|-------------|
| 133.0270.00.94 | MC_270-94 L=max 3 m | White (94) | Plasterboard | | | |
| 133.0270.01.94 | MC_270/3000-94 L=3m - EMPTY STANDARD | White (94) | Plasterboard | | | 3000 |
| 133.0270.01.M10.94 | MC_270/3000-94 L=3m - 10x EMPTY STANDARD | White (94) | Plasterboard | | | 3000 |
| 133.0270.120.2700.94 | MC_270/9,6W/2700°K-94 | White (94) | Plasterboard | 2700 | 9,6 | |
| 133.0270.120.4000.94 | MC_270/9,6W/4000°K-94 | White (94) | Plasterboard | 4000 | 9,6 | |
| 133.0270.120.94 | MC_270/9,6W/3000°K-94 | White (94) | Plasterboard | 3000 | 9,6 | |
| 133.0270.240.2700.94 | MC_270/19,6W/2700°K-94 | White (94) | Plasterboard | 2700 | 19,6 | |
| 133.0270.240.4000.94 | MC_270/19,6W/4000°K-94 | White (94) | Plasterboard | 4000 | 19,6 | |
| 133.0270.240.94 | MC_270/19,6W/3000°K-94 | White (94) | Plasterboard | 3000 | 19,6 | |




| Article code | Name | Description |
|--------------|------------------|--|
| 1312.1030 | ML_30/GL | Staffe di giunzione lineare - Compatibile con ML_30, MT2_27 e MX2_27 |
| 1312.1030.10 | ML_30/GL - 10 PZ | Staffe di giunzione lineare - Compatibile con ML_30, MT2_27 e MX2_27 |




| Article code | Name | Description |
|--------------|--|-------------|
| 1324.0000 | STRIP LED/Primer monouso 0,66 ml | |
| 1324.0000.10 | STRIP LED/Primer monouso 0,66 ml - 10 PZ | |




| Article code | Name | Description | Colour | Additional colour |
|----------------|--------------------|---|------------|-------------------|
| 133.5090.94 | MC_90/TC-4 | Testata di chiusura, finitura bianco - Compatibile con MC_270 | White (94) | White (94) |
| 133.5090.94.10 | MC_90/TC-4 - 10 PZ | Testata di chiusura, finitura bianco - Compatibile con MC_270 | White (94) | White (94) |




| Article code | Name | Description | Watt (W) | Driver's type |
|--------------|-------------------------|-------------|----------|---------------|
| 1.024015 | Driver LED 24V 15W IP20 | | 15 | On/Off |




| Article code | Name | Description | Watt (W) | Driver's type |
|--------------|-------------------------|-------------|----------|---------------|
| 1.024020 | Driver LED 24V 20W IP20 | | 20 | On/Off |




| Article code | Name | Description | Watt (W) | Driver's type |
|--------------|-------------------------|-------------|----------|---------------|
| 1.024036 | Driver LED 24V 36W IP40 | | 36 | On/Off |




| Article code | Name | Description | Watt (W) | Driver's type |
|--------------|-------------------------|-------------|----------|---------------|
| 1.024060C | Driver LED 24V 60W IP40 | | 60 | On/Off |




| Article code | Name | Description | Watt (W) | Driver's type |
|--------------|-------------------------|-------------|----------|---------------|
| 1.024075 | Driver LED 24V 75W IP20 | | 75 | On/Off |




| Article code | Name | Description | Watt (W) | Driver's type |
|--------------|--------------------------|-------------|----------|---------------|
| 1.97759 | Driver LED 24V 150W IP67 | | 150 | On/Off |



| Article code | Name | Description | Watt (W) | Driver's type |
|--------------|--------------------------|-----------------------------|----------|---------------|
| 1.97745 | Driver LED 24V 200W IP67 | Dimensioni 69 x 37 x 206 mm | 200 | On/Off |



| Article code | Name | Description | Watt (W) | Driver's type |
|--------------|--------------------------|-------------|----------|---------------|
| 1.97393 | Driver LED 24V 100W IP67 | | 100 | On/Off |



| Article code | Name | Description |
|--------------|---|---|
| 1324.9212.01 | M2_12/Diffusore Opale L=3m - EMPTY STANDARD | Profilo PC Opale / Compatibile con MT0_12, MT1_12, MX1_12, MT2_12, MX2_12, MC_90 e MC_270 - Senza taglio a misura |