





MACROLUX





| Article code | Article | Colour | Light Temperature (°K) | Additional colour | Type of recessed | Beam angle (°) | Watt (W) |
|-------------------------|-----------------------------------|-----------|------------------------|-------------------|------------------|----------------|----------|
| 1917.0015.01.20.22 | SQUA50/LED-22 6W 350mA 20° | Black (2) | 3000 | Black (2) | Plasterboard | 25 | 5,8 |
| 1917.0015.01.2700.20.22 | *SQUADRON 50 | Black (2) | 2700 | Black (2) | Plasterboard | 25 | 5,8 |
| 1917.0015.01.2700.40.22 | *SQUADRON 50 | Black (2) | 2700 | Black (2) | Plasterboard | 34 | 5,8 |
| 1917.0015.01.40.22 | SQUA50/LED-22 6W 350mA 40° | Black (2) | 3000 | Black (2) | Plasterboard | 34 | 5,8 |
| 1917.0015.01.4000.20.22 | *SQUADRON 50 | Black (2) | 4000 | Black (2) | Plasterboard | 25 | 5,8 |
| 1917.0015.01.4000.40.22 | *SQUADRON 50 | Black (2) | 4000 | Black (2) | Plasterboard | 34 | 5,8 |
| 1917.0015.02.20.22 | SQUA50/LED-22 8.6W 500mA 25° | Black (2) | 3000 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.02.2700.20.22 | *SQUADRON 50 | Black (2) | 2700 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.02.2700.34.22 | SQUA50/LED-22 9W 500mA 40° 2700°K | Black (2) | 2700 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.02.34.22 | SQUA50/LED-22 9W 500mA 40° | Black (2) | 3000 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.02.4000.20.22 | *SQUADRON 50 | Black (2) | 4000 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.02.4000.34.22 | *SQUADRON 50 | Black (2) | 4000 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.03.4000.34.22 | SQUADRON 50 | Black (2) | 4000 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.08.20.22 | SQUADRON 50 | Black (2) | 3000 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.08.2700.20.22 | SQUADRON 50 | Black (2) | 2700 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.08.2700.34.22 | SQUADRON 50 | Black (2) | 2700 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.08.34.22 | SQUA50/LED-22 9W 500mA 40° DALI | Black (2) | 3000 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.08.4000.20.22 | SQUADRON 50 | Black (2) | 4000 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.08.4000.34.22 | SQUADRON 50 | Black (2) | 4000 | Black (2) | Plasterboard | 34 | 8,6 |




| Article code | Article | Colour | Light Temperature (°K) | Additional colour | Type of recessed | Beam angle (°) | Watt (W) |
|-------------------------|---------------------------------------|-----------|------------------------|-------------------|------------------|----------------|----------|
| 1917.0015.01.20.44 | SQUA50/LED-44 6W 350mA 20° | White (4) | 3000 | White (4) | Plasterboard | 25 | 5,8 |
| 1917.0015.01.2700.20.44 | *SQUADRON 50 | White (4) | 2700 | White (4) | Plasterboard | 25 | 5,8 |
| 1917.0015.01.2700.40.44 | SQUA50/LED-44 6W 350mA 40° 2700°K | White (4) | 2700 | White (4) | Plasterboard | 34 | 5,8 |
| 1917.0015.01.40.44 | SQUA50/LED-44 5.8W 350mA 40° | White (4) | 3000 | White (4) | Plasterboard | 34 | 5,8 |
| 1917.0015.01.4000.20.44 | SQUA50/LED-44 6W 350mA 20° 4000°K | White (4) | 4000 | White (4) | Plasterboard | 25 | 5,8 |
| 1917.0015.01.4000.40.44 | SQUA50/LED-44 6W 350mA 40° 4000°K | White (4) | 4000 | White (4) | Plasterboard | 34 | 5,8 |
| 1917.0015.02.20.44 | SQUA50/LED-44 8.6W 500mA 25° | White (4) | 3000 | White (4) | Plasterboard | 25 | 8,6 |
| 1917.0015.02.2700.20.44 | *SQUADRON 50 | White (4) | 2700 | White (4) | Plasterboard | 25 | 8,6 |
| 1917.0015.02.2700.34.44 | *SQUADRON 50 | White (4) | 2700 | White (4) | Plasterboard | 34 | 8,6 |
| 1917.0015.02.34.44 | SQUA50/LED-44 9W 500mA 40° | White (4) | 3000 | White (4) | Plasterboard | 34 | 8,6 |
| 1917.0015.02.4000.20.44 | SQUA50/LED-44 9W 500mA 20° 4000°K | White (4) | 4000 | White (4) | Plasterboard | 25 | 8,6 |
| 1917.0015.02.4000.34.44 | SQUA50/LED-44 9W 500mA 40° 4000°K | White (4) | 4000 | White (4) | Plasterboard | 34 | 8,6 |
| 1917.0015.03.20.44 | SQUADRON 50 | White (4) | 3000 | White (4) | Plasterboard | 25 | 8,6 |
| 1917.0015.03.2700.20.44 | SQUADRON 50 | White (4) | 2700 | White (4) | Plasterboard | 25 | 8,6 |
| 1917.0015.03.2700.34.44 | SQUA50/LED-44 9W max 500mA 40° 2700°K | White (4) | 2700 | White (4) | Plasterboard | 34 | 8,6 |
| 1917.0015.03.34.44 | SQUA50/LED-44 9W max 500mA 40° | White (4) | 3000 | White (4) | Plasterboard | 34 | 8,6 |
| 1917.0015.03.4000.20.44 | SQUADRON 50 | White (4) | 4000 | White (4) | Plasterboard | 25 | 8,6 |
| 1917.0015.03.4000.34.44 | SQUADRON 50 | White (4) | 4000 | White (4) | Plasterboard | 34 | 8,6 |
| 1917.0015.08.20.44 | SQUADRON 50 | White (4) | 3000 | White (4) | Plasterboard | 25 | 8,6 |

| Article code | Article | Colour | Light Temperature (°K) | Additional colour | Type of recessed | Beam angle (°) | Watt (W) |
|-------------------------|--|-----------|------------------------|-------------------|------------------|----------------|----------|
| 1917.0015.08.2700.20.44 | SQUADRON 50 | White (4) | 2700 | White (4) | Plasterboard | 25 | 8,6 |
| 1917.0015.08.2700.34.44 | SQUADRON 50 | White (4) | 2700 | White (4) | Plasterboard | 34 | 8,6 |
| 1917.0015.08.34.44 | SQUA50/LED-44 9W 500mA 40° DALI | White (4) | 3000 | White (4) | Plasterboard | 34 | 8,6 |
| 1917.0015.08.4000.20.44 | SQUADRON 50 | White (4) | 4000 | White (4) | Plasterboard | 25 | 8,6 |
| 1917.0015.08.4000.34.44 | SQUA50/LED-44 9W 500mA 40° 4000°K DALI | White (4) | 4000 | White (4) | Plasterboard | 34 | 8,6 |



| Article code | Article | Colour | Light Temperature (°K) | Additional colour | Type of recessed | Beam angle (°) | Watt (W) |
|-------------------------|--|-----------|------------------------|-------------------|------------------|----------------|----------|
| 1917.0015.01.20.42 | SQUA50/LED-42 6W 350mA 20° | White (4) | 3000 | Black (2) | Plasterboard | 25 | 5,8 |
| 1917.0015.01.2700.20.42 | SQUA50/LED-42 6W 350mA 20° 2700°K | White (4) | 2700 | Black (2) | Plasterboard | 25 | 5,8 |
| 1917.0015.01.2700.40.42 | *SQUADRON 50 | White (4) | 2700 | Black (2) | Plasterboard | 34 | 5,8 |
| 1917.0015.01.40.42 | SQUA50/LED-42 5.8W 350mA 34° | White (4) | 3000 | Black (2) | Plasterboard | 34 | 5,8 |
| 1917.0015.01.4000.20.42 | SQUA50/LED-42 5.8W 350mA 25° 4000°K | White (4) | 4000 | Black (2) | Plasterboard | 25 | 5,8 |
| 1917.0015.01.4000.40.42 | SQUA50/LED-42 6W 350mA 40° 4000°K | White (4) | 4000 | Black (2) | Plasterboard | 34 | 5,8 |
| 1917.0015.02.20.42 | SQUA50/LED-42 8.6W 500mA 25° | White (4) | 3000 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.02.2700.20.42 | SQUA50/LED-42 8.6W 500mA 20° 2700°K | White (4) | 2700 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.02.2700.34.42 | *SQUADRON 50 | White (4) | 2700 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.02.34.42 | SQUA50/LED-42 9W 500mA 40° | White (4) | 3000 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.02.4000.20.42 | SQUA50/LED-42 9W 500mA 20° 4000°K | White (4) | 4000 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.02.4000.34.42 | SQUA50/LED-42 9W 500mA 40° 4000°K | White (4) | 4000 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.03.20.42 | SQUADRON 50 | White (4) | 3000 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.03.2700.20.42 | SQUADRON 50 | White (4) | 2700 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.03.2700.34.42 | SQUADRON 50 | White (4) | 2700 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.03.34.42 | SQUADRON 50 | White (4) | 3000 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.03.4000.20.42 | SQUADRON 50 | White (4) | 4000 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.03.4000.34.42 | SQUADRON 50 | White (4) | 4000 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.08.20.42 | SQUA50/LED-42 9W 500mA 20° DALI | White (4) | 3000 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.08.2700.20.42 | SQUA50/LED-42 9W 500mA 20° 2700°K DALI | White (4) | 2700 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.08.2700.34.42 | SQUADRON 50 | White (4) | 2700 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.08.34.42 | SQUADRON 50 | White (4) | 3000 | Black (2) | Plasterboard | 34 | 8,6 |
| 1917.0015.08.4000.20.42 | SQUADRON 50 | White (4) | 4000 | Black (2) | Plasterboard | 25 | 8,6 |
| 1917.0015.08.4000.34.42 | SQUADRON 50 | White (4) | 4000 | Black (2) | Plasterboard | 34 | 8,6 |



| Article code | Name | Description | Type of recessed |
|--------------|-------------|--|------------------|
| 1916.0016.1 | SQUA50/SH/1 | Cassa a perdere completa di plaster kit per installazione in laterizio e calcestruzzo - Kit 1 luce | Plasterboard |