





# MACROLUX





Article code	Article	Colour	Light Temperature (°K)	Additional colour	Type of recessed	Beam angle (°)	Watt (W)
1917.0015.01.20.22	SQUA50/LED-22 6W 350mA 20°	Black (2)	3000	Black (2)	Plasterboard	25	6,1
1917.0015.01.2700.20.22	*SQUADRON 50	Black (2)	2700	Black (2)	Plasterboard	25	6,1
1917.0015.01.2700.40.22	*SQUADRON 50	Black (2)	2700	Black (2)	Plasterboard	34	6,1
1917.0015.01.40.22	SQUA50/LED-22 6W 350mA 40°	Black (2)	3000	Black (2)	Plasterboard	34	6,1
1917.0015.01.4000.20.22	*SQUADRON 50	Black (2)	4000	Black (2)	Plasterboard	25	6,1
1917.0015.01.4000.40.22	*SQUADRON 50	Black (2)	4000	Black (2)	Plasterboard	34	6,1
1917.0015.02.20.22	SQUA50/LED-22 9W 500mA 20°	Black (2)	3000	Black (2)	Plasterboard	25	8,9
1917.0015.02.2700.20.22	*SQUADRON 50	Black (2)	2700	Black (2)	Plasterboard	25	8,9
1917.0015.02.2700.34.22	SQUA50/LED-22 9W 500mA 40° 2700°K	Black (2)	2700	Black (2)	Plasterboard	34	8,9
1917.0015.02.34.22	SQUA50/LED-22 9W 500mA 40°	Black (2)	3000	Black (2)	Plasterboard	34	8,9
1917.0015.02.4000.20.22	*SQUADRON 50	Black (2)	4000	Black (2)	Plasterboard	25	8,9
1917.0015.02.4000.34.22	*SQUADRON 50	Black (2)	4000	Black (2)	Plasterboard	34	8,9
1917.0015.03.4000.34.22	SQUADRON 50	Black (2)	4000	Black (2)	Plasterboard	34	8,9
1917.0015.08.20.22	SQUADRON 50	Black (2)	3000	Black (2)	Plasterboard	25	8,9
1917.0015.08.2700.20.22	SQUADRON 50	Black (2)	2700	Black (2)	Plasterboard	25	8,9
1917.0015.08.2700.34.22	SQUADRON 50	Black (2)	2700	Black (2)	Plasterboard	34	8,9
1917.0015.08.34.22	SQUA50/LED-22 9W 500mA 40° DALI	Black (2)	3000	Black (2)	Plasterboard	34	8,9
1917.0015.08.4000.20.22	SQUADRON 50	Black (2)	4000	Black (2)	Plasterboard	25	8,9
1917.0015.08.4000.34.22	SQUADRON 50	Black (2)	4000	Black (2)	Plasterboard	34	8,9




Article code	Article	Colour	Light Temperature (°K)	Additional colour	Type of recessed	Beam angle (°)	Watt (W)
1917.0015.01.20.44	SQUA50/LED-44 6W 350mA 20°	White (4)	3000	White (4)	Plasterboard	25	6,1
1917.0015.01.2700.20.44	*SQUADRON 50	White (4)	2700	White (4)	Plasterboard	25	6,1
1917.0015.01.2700.40.44	SQUA50/LED-44 6W 350mA 40° 2700°K	White (4)	2700	White (4)	Plasterboard	34	6,1
1917.0015.01.40.44	SQUA50/LED-44 6W 350mA 40°	White (4)	3000	White (4)	Plasterboard	34	6,1
1917.0015.01.4000.20.44	SQUA50/LED-44 6W 350mA 20° 4000°K	White (4)	4000	White (4)	Plasterboard	25	6,1
1917.0015.01.4000.40.44	SQUA50/LED-44 6W 350mA 40° 4000°K	White (4)	4000	White (4)	Plasterboard	34	6,1
1917.0015.02.20.44	*SQUADRON 50	White (4)	3000	White (4)	Plasterboard	25	8,9
1917.0015.02.2700.20.44	*SQUADRON 50	White (4)	2700	White (4)	Plasterboard	25	8,9
1917.0015.02.2700.34.44	*SQUADRON 50	White (4)	2700	White (4)	Plasterboard	34	8,9
1917.0015.02.34.44	SQUA50/LED-44 9W 500mA 40°	White (4)	3000	White (4)	Plasterboard	34	8,9
1917.0015.02.4000.20.44	SQUA50/LED-44 9W 500mA 20° 4000°K	White (4)	4000	White (4)	Plasterboard	25	8,9
1917.0015.02.4000.34.44	SQUA50/LED-44 9W 500mA 40° 4000°K	White (4)	4000	White (4)	Plasterboard	34	8,9
1917.0015.03.20.44	SQUADRON 50	White (4)	3000	White (4)	Plasterboard	25	8,9
1917.0015.03.2700.20.44	SQUADRON 50	White (4)	2700	White (4)	Plasterboard	25	8,9
1917.0015.03.2700.34.44	SQUA50/LED-44 9W max 500mA 40° 2700°K	White (4)	2700	White (4)	Plasterboard	34	8,9
1917.0015.03.34.44	SQUA50/LED-44 9W max 500mA 40°	White (4)	3000	White (4)	Plasterboard	34	8,9
1917.0015.03.4000.20.44	SQUADRON 50	White (4)	4000	White (4)	Plasterboard	25	8,9
1917.0015.03.4000.34.44	SQUADRON 50	White (4)	4000	White (4)	Plasterboard	34	8,9
1917.0015.08.20.44	SQUADRON 50	White (4)	3000	White (4)	Plasterboard	25	8,9

Article code	Article	Colour	Light Temperature (°K)	Additional colour	Type of recessed	Beam angle (°)	Watt (W)
1917.0015.08.2700.20.44	SQUADRON 50	White (4)	2700	White (4)	Plasterboard	25	8,9
1917.0015.08.2700.34.44	SQUADRON 50	White (4)	2700	White (4)	Plasterboard	34	8,9
1917.0015.08.34.44	SQUA50/LED-44 9W 500mA 40° DALI	White (4)	3000	White (4)	Plasterboard	34	8,9
1917.0015.08.4000.20.44	SQUADRON 50	White (4)	4000	White (4)	Plasterboard	25	8,9
1917.0015.08.4000.34.44	SQUA50/LED-44 9W 500mA 40° 4000°K DALI	White (4)	4000	White (4)	Plasterboard	34	8,9



Article code	Article	Colour	Light Temperature (°K)	Additional colour	Type of recessed	Beam angle (°)	Watt (W)
1917.0015.01.20.42	SQUA50/LED-42 6W 350mA 20°	White (4)	3000	Black (2)	Plasterboard	25	6,1
1917.0015.01.2700.20.42	SQUA50/LED-42 6W 350mA 20° 2700°K	White (4)	2700	Black (2)	Plasterboard	25	6,1
1917.0015.01.2700.40.42	*SQUADRON 50	White (4)	2700	Black (2)	Plasterboard	34	6,1
1917.0015.01.40.42	SQUA50/LED-42 6W 350mA 40°	White (4)	3000	Black (2)	Plasterboard	34	6,1
1917.0015.01.4000.20.42	*SQUADRON 50	White (4)	4000	Black (2)	Plasterboard	25	6,1
1917.0015.01.4000.40.42	SQUA50/LED-42 6W 350mA 40° 4000°K	White (4)	4000	Black (2)	Plasterboard	34	6,1
1917.0015.02.20.42	SQUA50/LED-42 9W 500mA 20°	White (4)	3000	Black (2)	Plasterboard	25	8,9
1917.0015.02.2700.20.42	SQUA50/LED-42 9W 500mA 20° 2700°K	White (4)	2700	Black (2)	Plasterboard	25	8,9
1917.0015.02.2700.34.42	*SQUADRON 50	White (4)	2700	Black (2)	Plasterboard	34	8,9
1917.0015.02.34.42	SQUA50/LED-42 9W 500mA 40°	White (4)	3000	Black (2)	Plasterboard	34	8,9
1917.0015.02.4000.20.42	SQUA50/LED-42 9W 500mA 20° 4000°K	White (4)	4000	Black (2)	Plasterboard	25	8,9
1917.0015.02.4000.34.42	SQUA50/LED-42 9W 500mA 40° 4000°K	White (4)	4000	Black (2)	Plasterboard	34	8,9
1917.0015.03.20.42	SQUADRON 50	White (4)	3000	Black (2)	Plasterboard	25	8,9
1917.0015.03.2700.20.42	SQUADRON 50	White (4)	2700	Black (2)	Plasterboard	25	8,9
1917.0015.03.2700.34.42	SQUADRON 50	White (4)	2700	Black (2)	Plasterboard	34	8,9
1917.0015.03.34.42	SQUADRON 50	White (4)	3000	Black (2)	Plasterboard	34	8,9
1917.0015.03.4000.20.42	SQUADRON 50	White (4)	4000	Black (2)	Plasterboard	25	8,9
1917.0015.03.4000.34.42	SQUADRON 50	White (4)	4000	Black (2)	Plasterboard	34	8,9
1917.0015.08.20.42	SQUA50/LED-42 9W 500mA 20° DALI	White (4)	3000	Black (2)	Plasterboard	25	8,9
1917.0015.08.2700.20.42	SQUA50/LED-42 9W 500mA 20° 2700°K DALI	White (4)	2700	Black (2)	Plasterboard	25	8,9
1917.0015.08.2700.34.42	SQUADRON 50	White (4)	2700	Black (2)	Plasterboard	34	8,9
1917.0015.08.34.42	SQUADRON 50	White (4)	3000	Black (2)	Plasterboard	34	8,9
1917.0015.08.4000.20.42	SQUADRON 50	White (4)	4000	Black (2)	Plasterboard	25	8,9
1917.0015.08.4000.34.42	SQUADRON 50	White (4)	4000	Black (2)	Plasterboard	34	8,9



Article code	Name	Description
1917.0010.AC	SQUA50/GL-AC	Vetro di protezione satinato/frosted protection glass