







MACROLUX





Article code	Article	Colour	Light Temperature (°K)	Type of recessed	Beam angle (°)	Watt (W)
1917.0009.01.20.4	SQUA50/FILO/LED-4 6W 350mA 20°	White (4)	3000	Plasterboard	25	5,8
1917.0009.01.2700.20.4	*SQUADRON 50	White (4)	2700	Plasterboard	25	5,8
1917.0009.01.2700.40.4	SQUA50/FILO/LED-4 6W 350mA 40° 2700°K	White (4)	2700	Plasterboard	34	5,8
1917.0009.01.40.4	SQUA50/FILO/LED-4 6W 350mA 40°	White (4)	3000	Plasterboard	34	5,8
1917.0009.01.4000.20.4	*SQUADRON 50	White (4)	4000	Plasterboard	25	5,8
1917.0009.01.4000.40.4	*SQUADRON 50	White (4)	4000	Plasterboard	34	5,8
1917.0013.01.20.4	SQUA50/FILO/PK-4 6W 350mA 20°	White (4)	3000	Bricks	25	5,8
1917.0013.01.2700.20.4	SQUA50/FILO/PK-4 6W 350mA 20° 2700°K	White (4)	2700	Bricks	25	5,8
1917.0013.01.2700.40.4	SQUADRON 50 FILO	White (4)	2700	Bricks	34	5,8
1917.0013.01.40.4	SQUA50/FILO/PK-4 6W 350mA 40°	White (4)	3000	Bricks	34	5,8
1917.0013.01.4000.20.4	SQUADRON 50 FILO	White (4)	4000	Bricks	25	5,8
1917.0013.01.4000.40.4	SQUADRON 50 FILO	White (4)	4000	Bricks	34	5,8
1917.0013.03.20.4	SQUADRON 50 FILO	White (4)	3000	Bricks	25	5,8
1917.0013.03.2700.20.4	SQUADRON 50 FILO	White (4)	2700	Bricks	25	5,8
1917.0013.03.2700.40.4	SQUADRON 50 FILO	White (4)	2700	Bricks	34	5,8
1917.0013.03.40.4	SQUADRON 50 FILO	White (4)	3000	Bricks	34	5,8
1917.0013.03.4000.20.4	SQUADRON 50 FILO	White (4)	4000	Bricks	25	5,8
1917.0013.03.4000.40.4	SQUADRON 50 FILO	White (4)	4000	Bricks	34	5,8




Article code	Article	Colour	Light Temperature (°K)	Type of recessed	Beam angle (°)	Watt (W)
1917.0009.01.20.2	SQUA50/FILO/LED-2 6W 350mA 20°	Black (2)	3000	Plasterboard	25	5,8
1917.0009.01.2700.20.2	*SQUADRON 50	Black (2)	2700	Plasterboard	25	5,8
1917.0009.01.2700.40.2	*SQUADRON 50	Black (2)	2700	Plasterboard	34	5,8
1917.0009.01.40.2	SQUA50/FILO/LED-2 6W 350mA 40°	Black (2)	3000	Plasterboard	34	5,8
1917.0009.01.4000.20.2	*SQUADRON 50	Black (2)	4000	Plasterboard	25	5,8
1917.0009.01.4000.40.2	SQUA50/FILO/LED-2 6W 350mA 40° 4000°K	Black (2)	4000	Plasterboard	34	5,8
1917.0013.01.20.2	SQUA50/FILO/PK-LED-2 6,6W 350mA 20°	Black (2)	3000	Bricks	25	5,8
1917.0013.01.2700.20.2	SQUADRON 50 FILO	Black (2)	2700	Bricks	25	5,8
1917.0013.01.2700.40.2	SQUADRON 50 FILO	Black (2)	2700	Bricks	34	5,8
1917.0013.01.40.2	*SQUADRON 50	Black (2)	3000	Bricks	34	5,8
1917.0013.01.4000.20.2	SQUADRON 50 FILO	Black (2)	4000	Bricks	25	5,8
1917.0013.01.4000.40.2	SQUADRON 50 FILO	Black (2)	4000	Bricks	34	5,8
1917.0013.03.20.2	SQUADRON 50 FILO	Black (2)	3000	Bricks	25	5,8
1917.0013.03.2700.20.2	SQUADRON 50 FILO	Black (2)	2700	Bricks	25	5,8
1917.0013.03.2700.40.2	SQUADRON 50 FILO	Black (2)	2700	Bricks	34	5,8
1917.0013.03.40.2	SQUADRON 50 FILO	Black (2)	3000	Bricks	34	5,8
1917.0013.03.4000.20.2	SQUADRON 50 FILO	Black (2)	4000	Bricks	25	5,8
1917.0013.03.4000.40.2	SQUADRON 50 FILO	Black (2)	4000	Bricks	34	5,8



Article code	Article	Colour	Light Temperature (°K)	Type of recessed	Beam angle (°)	Watt (W)
1917.0009.02.20.4	SQUA50/FILO/LED-4 9W 500mA 20°	White (4)	3000	Plasterboard	25	8,6
1917.0009.02.2700.20.4	*SQUADRON 50	White (4)	2700	Plasterboard	25	8,6
1917.0009.02.2700.34.4	SQUA50/FILO/LED-4 9W 500mA 40° 2700°K	White (4)	2700	Plasterboard	34	8,6
1917.0009.02.34.4	SQUA50/FILO/LED-4 9W 500mA 40°	White (4)	3000	Plasterboard	34	8,6
1917.0009.02.4000.20.4	SQUA50/FILO/LED-4 9W 500mA 20° 4000°K	White (4)	4000	Plasterboard	25	8,6
1917.0009.02.4000.34.4	*SQUADRON 50	White (4)	4000	Plasterboard	34	8,6
1917.0009.03.20.4	SQUA50/FILO/LED-4 8.6W max 500mA 25°	White (4)	3000	Plasterboard	25	8,6
1917.0009.03.2700.20.4	*SQUADRON 50	White (4)	2700	Plasterboard	25	8,6
1917.0009.03.2700.34.4	*SQUADRON 50	White (4)	2700	Plasterboard	34	8,6
1917.0009.03.34.4	SQUA50/FILO/LED-4 9W max 500mA 40°	White (4)	3000	Plasterboard	34	8,6
1917.0009.03.4000.20.4	*SQUADRON 50	White (4)	4000	Plasterboard	25	8,6
1917.0009.03.4000.34.4	*SQUADRON 50	White (4)	4000	Plasterboard	34	8,6
1917.0009.08.20.4	SQUA50/FILO/LED-4 9W 500mA 20° DALI	White (4)	3000	Plasterboard	25	8,6
1917.0009.08.2700.20.4	*SQUADRON 50	White (4)	2700	Plasterboard	25	8,6
1917.0009.08.2700.34.4	*SQUADRON 50	White (4)	2700	Plasterboard	34	8,6
1917.0009.08.34.4	SQUA50/FILO/LED-4 9W 500mA 40° DALI	White (4)	3000	Plasterboard	34	8,6
1917.0009.08.4000.20.4	*SQUADRON 50	White (4)	4000	Plasterboard	25	8,6
1917.0009.08.4000.34.4	SQUA50/FILO/LED-4 9W 500mA 40° 4000°K DALI	White (4)	4000	Plasterboard	34	8,6



Article code	Article	Colour	Light Temperature (°K)	Type of recessed	Beam angle (°)	Watt (W)
1917.0009.02.20.2	SQUA50/FILO/LED-2 9W 500mA 20°	Black (2)	3000	Plasterboard	25	8,6
1917.0009.02.2700.20.2	SQUA50/FILO/LED-2 9W 500mA 20° 2700°K	Black (2)	2700	Plasterboard	25	8,6
1917.0009.02.2700.34.2	SQUA50/FILO/LED-2 9W 500mA 40° 2700°K	Black (2)	2700	Plasterboard	34	8,6
1917.0009.02.34.2	SQUA50/FILO/LED-2 8.6W 500mA 40°	Black (2)	3000	Plasterboard	34	8,6
1917.0009.02.4000.20.2	*SQUADRON 50	Black (2)	4000	Plasterboard	25	8,6
1917.0009.02.4000.34.2	SQUA50/FILO/LED-2 9W 500mA 40° 4000°K	Black (2)	4000	Plasterboard	34	8,6
1917.0009.03.20.2	*SQUADRON 50	Black (2)	3000	Plasterboard	25	8,6
1917.0009.03.2700.20.2	*SQUADRON 50	Black (2)	2700	Plasterboard	25	8,6
1917.0009.03.2700.34.2	SQUA50/FILO/LED-2 9W max 500mA 40° 2700°K	Black (2)	2700	Plasterboard	34	8,6
1917.0009.03.34.2	*SQUADRON 50	Black (2)	3000	Plasterboard	34	8,6
1917.0009.03.4000.20.2	*SQUADRON 50	Black (2)	4000	Plasterboard	25	8,6
1917.0009.03.4000.34.2	*SQUADRON 50	Black (2)	4000	Plasterboard	34	8,6
1917.0009.08.20.2	*SQUADRON 50	Black (2)	3000	Plasterboard	25	8,6
1917.0009.08.2700.20.2	*SQUADRON 50	Black (2)	2700	Plasterboard	25	8,6
1917.0009.08.2700.34.2	*SQUADRON 50	Black (2)	2700	Plasterboard	34	8,6
1917.0009.08.4000.20.2	*SQUADRON 50	Black (2)	4000	Plasterboard	25	8,6
1917.0009.08.4000.34.2	SQUA50/FILO/LED-2 9W 500mA 40° 4000°K DALI	Black (2)	4000	Plasterboard	34	8,6



Article code	Name	Description	Type of recessed
1916.0016.1	SQUA50/SH/1	Cassa a perdere completa di plaster kit per installazione in laterizio e calcestruzzo - Kit 1 luce	Plasterboard