







MACROLUX



Article code	Article	Colour	Light Temperature (°K)	Watt (W)	Length (mm)
1301.0012.00.92	MA_12-92 L=max 3 m	Black (92)			
1301.0012.01.92	MA_12/3000-92 L=3m - EMPTY STANDARD	Black (92)			3000
1301.0012.01.M10.92	MA_12/3000-92 L=3m - 10x EMPTY STANDARD	Black (92)			3000
1301.0012.120.2700.92	MA_12/9,6W/2700°K-92	Black (92)	2700	9,6	
1301.0012.120.4000.92	MA_12/9,6W/4000°K-92	Black (92)	4000	9,6	
1301.0012.120.92	MA_12/9,6W/3000°K-92	Black (92)	3000	9,6	
1301.0012.240.2700.92	MA_12/19.6W/2700°K-92	Black (92)	2700	19,6	
1301.0012.240.4000.92	MA_12/19.6W/4000°K-92	Black (92)	4000	19,6	
1301.0012.240.92	MA_12/19.6W/3000°K-92	Black (92)	3000	19,6	



Article code	Article	Colour	Light Temperature (°K)	Watt (W)	Length (mm)
1301.0012.00.94	MA_12-94 L=max 3 m	White (94)			
1301.0012.01.94	MA_12/3000-94 L=3m - EMPTY STANDARD	White (94)			3000
1301.0012.01.M10.94	MA_12/3000-94 L=3m - 10x EMPTY STANDARD	White (94)			3000
1301.0012.120.2700.94	MA_12/9,6W/2700°K-94	White (94)	2700	9,6	
1301.0012.120.4000.94	MA_12/9,6W/4000°K-94	White (94)	4000	9,6	
1301.0012.120.94	MA_12/9,6W/3000°K-94	White (94)	3000	9,6	
1301.0012.240.2700.94	MA_12/19.6W/2700°K-94	White (94)	2700	19,6	
1301.0012.240.4000.94	MA_12/19.6W/4000°K-94	White (94)	4000	19,6	
1301.0012.240.94	MA_12/19.6W/3000°K-94	White (94)	3000	19,6	



Article code	Name	Description
1324.0000	STRIP LED/Primer monouso 0,66 ml	
1324.0000.10	STRIP LED/Primer monouso 0,66 ml - 10 PZ	

200 x 200


Powered by HTML.COM

Article code	Name	Description
134.2112	MD_12/G090 (Solo taglio)	Connessione ad angolo orizzontale 90°


200 x 200

Powered by HTML.COM


Article code	Name	Description
134.1112	MD_12/G0270 (Solo taglio)	Connessione ad angolo orizzontale 270°




Article code	Name	Description
1320.1112	UNIVERSALE M_12 / MB_15	Ancoraggio plafone / giunto lineare - Compatibile con MTO_12, MT1_12, MX1_12 e MB_15
1320.1112.10	UNIVERSALE M_12/MB_15 - 10 PZ	Ancoraggio plafone / giunto lineare




Article code	Name	Description	Colour
1301.6012.92	MA_12/TC/DX-2	Testata di chiusura destra , finitura nero / Right End cap, finishing black (1 pz.)	Black (92)
1301.6012.92.10	MA_12/TC/DX-2 - 10 PZ	Testata di chiusura destra , finitura nero / Right End cap, finishing black (10 pz.)	Black (92)




Article code	Name	Description	Colour
1301.6012.94	MA_12/TC/DX-4	Testata di chiusura destra , finitura bianco / Right End cap, finishing white	White (94)
1301.6012.94.10	MA_12/TC/DX-4 - 10 PZ	Testata di chiusura destra , finitura bianco / Right End cap, finishing white (10 pz.)	White (94)




Article code	Name	Description	Watt (W)	Driver's type
1.024015	Driver LED 24V 15W IP20		15	On/Off



Article code	Name	Description	Watt (W)	Driver's type
1.024020	Driver LED 24V 20W IP20		20	On/Off




Article code	Name	Description	Watt (W)	Driver's type
1.024036	Driver LED 24V 36W IP40		36	On/Off




Article code	Name	Description	Watt (W)	Driver's type
1.024050	EOL_Driver LED 24V 50W IP20		50	On/Off




Article code	Name	Description	Watt (W)	Driver's type
1.024075	Driver LED 24V 75W IP20		75	On/Off




Article code	Name	Description	Watt (W)
1.97759	Driver LED 24V 150W IP67		150



Article code	Name	Description	Watt (W)
1.97745	Driver LED 24V 200W IP67	Dimensioni 69 x 37 x 206 mm	200



Article code	Name	Description	Colour
1301.5012.92	MA_12/TC/SX-2	Testata di chiusura sinistra , finitura nero / Left End cap, finishing black (1 pz.)	Black (92)
1301.5012.92.10	MA_12/TC/SX-2 - 10 PZ	Testata di chiusura sinistra , finitura nero / Left End cap, finishing black (10 pz.)	Black (92)



Article code	Name	Description	Colour
1301.5012.94	MA_12/TC/SX-4	Testata di chiusura sinistra , finitura bianco / Left End cap, finishing white	White (4)
1301.5012.94.10	MA_12/TC/SX-4 - 10 PZ	Testata di chiusura sinistra , finitura bianco / Left End cap, finishing white (10 pz.)	White (4)