

# MACROLUX







| Article code | Article | Colour | Additional colour | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|---|---|---|---|---|---|---|---|
| 420.0075.01.15.44 | DRAFT_75/15°-44 DALI | White (4) | White (4) | 15 | 3000 | 10 | Plasterboard |
| 420.0075.01.2700.15.44 | draft 75 trimless/15/2700-44# | White (4) | White (4) | 15 | 2700 | 10 | Plasterboard |
| 420.0075.01.2700.38.44 | draft 75 trimless/38/2700-44# | White (4) | White (4) | 38 | 2700 | 10 | Plasterboard |
| 420.0075.01.2700.44 | draft 75 trimless/24/2700-44# | White (4) | White (4) | 24 | 2700 | 10 | Plasterboard |
| 420.0075.01.38.44 | DRAFT_75/38°-44 DALI | White (4) | White (4) | 38 | 3000 | 10 | Plasterboard |
| 420.0075.01.4000.15.44 | *DRAFT_75 | White (4) | White (4) | 15 | 4000 | 10 | Plasterboard |
| 420.0075.01.4000.38.44 | DRAFT_75/38°-44 4000°K DALI | White (4) | White (4) | 38 | 4000 | 10 | Plasterboard |
| 420.0075.01.4000.44 | *DRAFT_75 | White (4) | White (4) | 24 | 4000 | 10 | Plasterboard |
| 420.0075.01.44 | DRAFT_75/24°-44 DALI | White (4) | White (4) | 24 | 3000 | 10 | Plasterboard |
| 420.0075.15.44 | DRAFT_75/15°-44 | White (4) | White (4) | 15 | 3000 | 10 | Plasterboard |
| 420.0075.2700.15.44 | draft 75 trimless/15/2700-44# | White (4) | White (4) | 15 | 2700 | 10 | Plasterboard |
| 420.0075.2700.38.44 | draft 75 trimless/38/2700-44# | White (4) | White (4) | 38 | 2700 | 10 | Plasterboard |
| 420.0075.2700.44 | DRAFT_75/24°-44 2700°K | White (4) | White (4) | 24 | 2700 | 10 | Plasterboard |
| 420.0075.38.44 | DRAFT_75/38°-44 | White (4) | White (4) | 38 | 3000 | 10 | Plasterboard |
| 420.0075.4000.15.44 | *draft75 | White (4) | White (4) | 15 | 4000 | 10 | Plasterboard |
| 420.0075.4000.38.44 | *draft75 | White (4) | White (4) | 38 | 4000 | 10 | Plasterboard |
| 420.0075.4000.44 | DRAFT_75/24°-44 4000°K | White (4) | White (4) | 24 | 4000 | 10 | Plasterboard |
| 420.0075.44 | DRAFT_75/24°-44 | White (4) | White (4) | 24 | 3000 | 10 | Plasterboard |







| Article code | Article | Colour | Additional colour | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|---|---|---|---|---|---|---|---|
| 420.0075.01.15.42 | *DRAFT_75 | White (4) | Black (2) | 15 | 3000 | 10 | Plasterboard |
| 420.0075.01.2700.15.42 | draft 75 trimless/15/2700-42# | White (4) | Black (2) | 15 | 2700 | 10 | Plasterboard |
| 420.0075.01.2700.38.42 | draft 75 trimless/38/2700-42# | White (4) | Black (2) | 38 | 2700 | 10 | Plasterboard |
| 420.0075.01.2700.42 | DRAFT_75/24°/2700°K-42 DALI | White (4) | Black (2) | 24 | 2700 | 10 | Plasterboard |
| 420.0075.01.38.42 | DRAFT_75/38°-42 DALI | White (4) | Black (2) | 38 | 3000 | 10 | Plasterboard |
| 420.0075.01.4000.15.42 | *DRAFT_75 | White (4) | Black (2) | 15 | 4000 | 10 | Plasterboard |
| 420.0075.01.4000.38.42 | *DRAFT_75 | White (4) | Black (2) | 38 | 4000 | 10 | Plasterboard |
| 420.0075.01.4000.42 | DRAFT_75/24°/4000°K-42 DALI | White (4) | Black (2) | 24 | 4000 | 10 | Plasterboard |
| 420.0075.01.42 | DRAFT_75/24°-42 DALI | White (4) | Black (2) | 24 | 3000 | 10 | Plasterboard |
| 420.0075.15.42 | DRAFT_75/15°-42 | White (4) | Black (2) | 15 | 3000 | 10 | Plasterboard |
| 420.0075.2700.15.42 | DRAFT_75/15°-42 2700°K | White (4) | Black (2) | 15 | 2700 | 10 | Plasterboard |
| 420.0075.2700.38.42 | DRAFT_75/38°-42 2700°K | White (4) | Black (2) | 38 | 2700 | 10 | Plasterboard |
| 420.0075.2700.42 | draft 75 trimless/24/2700-42# | White (4) | Black (2) | 24 | 2700 | 10 | Plasterboard |
| 420.0075.38.42 | DRAFT_75/38°-42 | White (4) | Black (2) | 38 | 3000 | 10 | Plasterboard |
| 420.0075.4000.15.42 | *draft75 | White (4) | Black (2) | 15 | 4000 | 10 | Plasterboard |
| 420.0075.4000.38.42 | DRAFT_75/38°-42 4000°K | White (4) | Black (2) | 38 | 4000 | 10 | Plasterboard |
| 420.0075.4000.42 | *draft75 | White (4) | Black (2) | 24 | 4000 | 10 | Plasterboard |
| 420.0075.42 | DRAFT_75/24°-42 | White (4) | Black (2) | 24 | 3000 | 10 | Plasterboard |







| Article code | Article | Colour | Additional colour | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|---|---|---|---|---|---|---|---|
| 420.0075.01.15.46 | *DRAFT_75 | White (4) | Chrome (6) | 15 | 3000 | 10 | Plasterboard |
| 420.0075.01.2700.15.46 | draft 75 trimless/15/2700-46# | White (4) | Chrome (6) | 15 | 2700 | 10 | Plasterboard |
| 420.0075.01.2700.38.46 | draft 75 trimless/38/2700-46# | White (4) | Chrome (6) | 38 | 2700 | 10 | Plasterboard |
| 420.0075.01.2700.46 | draft 75 trimless/24/2700-46# | White (4) | Chrome (6) | 24 | 2700 | 10 | Plasterboard |
| 420.0075.01.38.46 | *DRAFT_75 | White (4) | Chrome (6) | 38 | 3000 | 10 | Plasterboard |
| 420.0075.01.4000.15.46 | *DRAFT_75 | White (4) | Chrome (6) | 15 | 4000 | 10 | Plasterboard |
| 420.0075.01.4000.38.46 | DRAFT_75/38°-46 4000°K DALI | White (4) | Chrome (6) | 38 | 4000 | 10 | Plasterboard |
| 420.0075.01.4000.46 | *DRAFT_75 | White (4) | Chrome (6) | 24 | 4000 | 10 | Plasterboard |
| 420.0075.01.46 | DRAFT_75/24°-46 DALI | White (4) | Chrome (6) | 24 | 3000 | 10 | Plasterboard |
| 420.0075.15.46 | DRAFT_75/15°-46 | White (4) | Chrome (6) | 15 | 3000 | 10 | Plasterboard |
| 420.0075.2700.15.46 | draft 75 trimless/15/2700-46# | White (4) | Chrome (6) | 15 | 2700 | 10 | Plasterboard |
| 420.0075.2700.38.46 | draft 75 trimless/38/2700-46# | White (4) | Chrome (6) | 38 | 2700 | 10 | Plasterboard |
| 420.0075.2700.46 | draft 75 trimless/24/2700-46# | White (4) | Chrome (6) | 24 | 2700 | 10 | Plasterboard |
| 420.0075.38.46 | DRAFT_75/38°-46 | White (4) | Chrome (6) | 38 | 3000 | 10 | Plasterboard |
| 420.0075.4000.15.46 | *draft75 | White (4) | Chrome (6) | 15 | 4000 | 10 | Plasterboard |
| 420.0075.4000.38.46 | DRAFT_75/4000°K/38°-46 | White (4) | Chrome (6) | 38 | 4000 | 10 | Plasterboard |
| 420.0075.4000.46 | *draft75 | White (4) | Chrome (6) | 24 | 4000 | 10 | Plasterboard |
| 420.0075.46 | DRAFT_75/24°-46 | White (4) | Chrome (6) | 24 | 3000 | 10 | Plasterboard |






| Article code | Article | Colour | Additional colour | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|---|---|---|---|---|---|---|---|
| 420.0075.01.15.495 | DRAFT_75/15°-495 DALI | White (4) | Bronze Reflector(95) | 15 | 3000 | 10 | Plasterboard |
| 420.0075.01.2700.15.495 | draft 75 trimless/15/2700-495# | White (4) | Bronze Reflector(95) | 15 | 2700 | 10 | Plasterboard |
| 420.0075.01.2700.38.495 | draft 75 trimless/38/2700-495# | White (4) | Bronze Reflector(95) | 38 | 2700 | 10 | Plasterboard |
| 420.0075.01.2700.495 | draft 75 trimless/24/2700-495# | White (4) | Bronze Reflector(95) | 24 | 2700 | 10 | Plasterboard |
| 420.0075.01.38.495 | DRAFT_75/38°-495 DALI | White (4) | Bronze Reflector(95) | 38 | 3000 | 10 | Plasterboard |
| 420.0075.01.4000.15.495 | *DRAFT_75 | White (4) | Bronze Reflector(95) | 15 | 4000 | 10 | Plasterboard |
| 420.0075.01.4000.38.495 | *DRAFT_75 | White (4) | Bronze Reflector(95) | 38 | 4000 | 10 | Plasterboard |
| 420.0075.01.4000.495 | *DRAFT_75 | White (4) | Bronze Reflector(95) | 24 | 4000 | 10 | Plasterboard |
| 420.0075.01.495 | DRAFT_75/24°-495 DALI | White (4) | Bronze Reflector(95) | 24 | 3000 | 10 | Plasterboard |
| 420.0075.15.495 | DRAFT_75/15°-495 | White (4) | Bronze Reflector(95) | 15 | 3000 | 10 | Plasterboard |
| 420.0075.2700.15.495 | draft 75 trimless/15/2700-495# | White (4) | Bronze Reflector(95) | 15 | 2700 | 10 | Plasterboard |
| 420.0075.2700.38.495 | draft 75 trimless/38/2700-495# | White (4) | Bronze Reflector(95) | 38 | 2700 | 10 | Plasterboard |

| Article code | Article | Colour | Additional colour | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|---|---|---|---|---|---|---|---|
| 420.0075.2700.495 | draft 75 trimless/24/2700-495# | White (4) | Bronze Reflector(95) | 24 | 2700 | 10 | Plasterboard |
| 420.0075.38.495 | DRAFT_75/38°-495 | White (4) | Bronze Reflector(95) | 38 | 3000 | 10 | Plasterboard |
| 420.0075.4000.15.495 | *draft75 | White (4) | Bronze Reflector(95) | 15 | 4000 | 10 | Plasterboard |
| 420.0075.4000.38.495 | *DRAFT_75/38°-495 4000°K | White (4) | Bronze Reflector(95) | 38 | 4000 | 10 | Plasterboard |
| 420.0075.4000.495 | *draft75 | White (4) | Bronze Reflector(95) | 24 | 4000 | 10 | Plasterboard |
| 420.0075.495 | DRAFT_75/24°-495 | White (4) | Bronze Reflector(95) | 24 | 3000 | 10 | Plasterboard |



| Article code | Name | Description |
|---|---|---|
| 420.0075.PK | DRAFT_75/TRIM/PK | Plaster Kit Trim per Draft 75 |