







# MACROLUX





| Article code           | Article                       | Colour    | Additional colour | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|------------------------|-------------------------------|-----------|-------------------|----------------|------------------------|----------|------------------|
| 420.0075.01.15.44      | DRAFT_75/15°-44 DALI          | White (4) | White (4)         | 15             | 3000                   | 10       | Plasterboard     |
| 420.0075.01.2700.15.44 | draft 75 trimless/15/2700-44# | White (4) | White (4)         | 15             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.2700.38.44 | draft 75 trimless/38/2700-44# | White (4) | White (4)         | 38             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.2700.44    | draft 75 trimless/24/2700-44# | White (4) | White (4)         | 24             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.38.44      | DRAFT_75/38°-44 DALI          | White (4) | White (4)         | 38             | 3000                   | 10       | Plasterboard     |
| 420.0075.01.4000.15.44 | *DRAFT_75                     | White (4) | White (4)         | 15             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.4000.38.44 | DRAFT_75/38°-44 4000°K DALI   | White (4) | White (4)         | 38             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.4000.44    | *DRAFT_75                     | White (4) | White (4)         | 24             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.44         | DRAFT_75/24°-44 DALI          | White (4) | White (4)         | 24             | 3000                   | 10       | Plasterboard     |
| 420.0075.15.44         | DRAFT_75/15°-44               | White (4) | White (4)         | 15             | 3000                   | 10       | Plasterboard     |
| 420.0075.2700.15.44    | draft 75 trimless/15/2700-44# | White (4) | White (4)         | 15             | 2700                   | 10       | Plasterboard     |
| 420.0075.2700.38.44    | draft 75 trimless/38/2700-44# | White (4) | White (4)         | 38             | 2700                   | 10       | Plasterboard     |
| 420.0075.2700.44       | DRAFT_75/24°-44 2700°K        | White (4) | White (4)         | 24             | 2700                   | 10       | Plasterboard     |
| 420.0075.38.44         | DRAFT_75/38°-44               | White (4) | White (4)         | 38             | 3000                   | 10       | Plasterboard     |
| 420.0075.4000.15.44    | *draft75                      | White (4) | White (4)         | 15             | 4000                   | 10       | Plasterboard     |
| 420.0075.4000.38.44    | *draft75                      | White (4) | White (4)         | 38             | 4000                   | 10       | Plasterboard     |
| 420.0075.4000.44       | DRAFT_75/24°-44 4000°K        | White (4) | White (4)         | 24             | 4000                   | 10       | Plasterboard     |
| 420.0075.44            | DRAFT_75/24°-44               | White (4) | White (4)         | 24             | 3000                   | 10       | Plasterboard     |



| Article code           | Article                       | Colour    | Additional colour | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|------------------------|-------------------------------|-----------|-------------------|----------------|------------------------|----------|------------------|
| 420.0075.01.15.42      | *DRAFT_75                     | White (4) | Black (2)         | 15             | 3000                   | 10       | Plasterboard     |
| 420.0075.01.2700.15.42 | draft 75 trimless/15/2700-42# | White (4) | Black (2)         | 15             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.2700.38.42 | draft 75 trimless/38/2700-42# | White (4) | Black (2)         | 38             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.2700.42    | DRAFT_75/24°/2700°K-42 DALI   | White (4) | Black (2)         | 24             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.38.42      | DRAFT_75/38°-42 DALI          | White (4) | Black (2)         | 38             | 3000                   | 10       | Plasterboard     |
| 420.0075.01.4000.15.42 | *DRAFT_75                     | White (4) | Black (2)         | 15             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.4000.38.42 | *DRAFT_75                     | White (4) | Black (2)         | 38             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.4000.42    | DRAFT_75/24°/4000°K-42 DALI   | White (4) | Black (2)         | 24             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.42         | DRAFT_75/24°-42 DALI          | White (4) | Black (2)         | 24             | 3000                   | 10       | Plasterboard     |
| 420.0075.15.42         | DRAFT_75/15°-42               | White (4) | Black (2)         | 15             | 3000                   | 10       | Plasterboard     |
| 420.0075.2700.15.42    | DRAFT_75/15°-42 2700°K        | White (4) | Black (2)         | 15             | 2700                   | 10       | Plasterboard     |
| 420.0075.2700.38.42    | DRAFT_75/38°-42 2700°K        | White (4) | Black (2)         | 38             | 2700                   | 10       | Plasterboard     |
| 420.0075.2700.42       | draft 75 trimless/24/2700-42# | White (4) | Black (2)         | 24             | 2700                   | 10       | Plasterboard     |
| 420.0075.38.42         | DRAFT_75/38°-42               | White (4) | Black (2)         | 38             | 3000                   | 10       | Plasterboard     |
| 420.0075.4000.15.42    | *draft75                      | White (4) | Black (2)         | 15             | 4000                   | 10       | Plasterboard     |
| 420.0075.4000.38.42    | DRAFT_75/38°-42 4000°K        | White (4) | Black (2)         | 38             | 4000                   | 10       | Plasterboard     |
| 420.0075.4000.42       | *draft75                      | White (4) | Black (2)         | 24             | 4000                   | 10       | Plasterboard     |
| 420.0075.42            | DRAFT_75/24°-42               | White (4) | Black (2)         | 24             | 3000                   | 10       | Plasterboard     |




| Article code           | Article                       | Colour    | Additional colour | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|------------------------|-------------------------------|-----------|-------------------|----------------|------------------------|----------|------------------|
| 420.0075.01.15.46      | *DRAFT_75                     | White (4) | Chrome (6)        | 15             | 3000                   | 10       | Plasterboard     |
| 420.0075.01.2700.15.46 | draft 75 trimless/15/2700-46# | White (4) | Chrome (6)        | 15             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.2700.38.46 | draft 75 trimless/38/2700-46# | White (4) | Chrome (6)        | 38             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.2700.46    | draft 75 trimless/24/2700-46# | White (4) | Chrome (6)        | 24             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.38.46      | *DRAFT_75                     | White (4) | Chrome (6)        | 38             | 3000                   | 10       | Plasterboard     |
| 420.0075.01.4000.15.46 | *DRAFT_75                     | White (4) | Chrome (6)        | 15             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.4000.38.46 | DRAFT_75/38°-46 4000°K DALI   | White (4) | Chrome (6)        | 38             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.4000.46    | *DRAFT_75                     | White (4) | Chrome (6)        | 24             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.46         | DRAFT_75/24°-46 DALI          | White (4) | Chrome (6)        | 24             | 3000                   | 10       | Plasterboard     |
| 420.0075.15.46         | DRAFT_75/15°-46               | White (4) | Chrome (6)        | 15             | 3000                   | 10       | Plasterboard     |
| 420.0075.2700.15.46    | draft 75 trimless/15/2700-46# | White (4) | Chrome (6)        | 15             | 2700                   | 10       | Plasterboard     |
| 420.0075.2700.38.46    | draft 75 trimless/38/2700-46# | White (4) | Chrome (6)        | 38             | 2700                   | 10       | Plasterboard     |
| 420.0075.2700.46       | draft 75 trimless/24/2700-46# | White (4) | Chrome (6)        | 24             | 2700                   | 10       | Plasterboard     |
| 420.0075.38.46         | DRAFT_75/38°-46               | White (4) | Chrome (6)        | 38             | 3000                   | 10       | Plasterboard     |
| 420.0075.4000.15.46    | *draft75                      | White (4) | Chrome (6)        | 15             | 4000                   | 10       | Plasterboard     |
| 420.0075.4000.38.46    | DRAFT_75/4000°K/38°-46        | White (4) | Chrome (6)        | 38             | 4000                   | 10       | Plasterboard     |
| 420.0075.4000.46       | *draft75                      | White (4) | Chrome (6)        | 24             | 4000                   | 10       | Plasterboard     |
| 420.0075.46            | DRAFT_75/24°-46               | White (4) | Chrome (6)        | 24             | 3000                   | 10       | Plasterboard     |



| Article code            | Article                        | Colour    | Additional colour    | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|-------------------------|--------------------------------|-----------|----------------------|----------------|------------------------|----------|------------------|
| 420.0075.01.15.495      | DRAFT_75/15°-495 DALI          | White (4) | Bronze Reflector(95) | 15             | 3000                   | 10       | Plasterboard     |
| 420.0075.01.2700.15.495 | draft 75 trimless/15/2700-495# | White (4) | Bronze Reflector(95) | 15             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.2700.38.495 | draft 75 trimless/38/2700-495# | White (4) | Bronze Reflector(95) | 38             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.2700.495    | draft 75 trimless/24/2700-495# | White (4) | Bronze Reflector(95) | 24             | 2700                   | 10       | Plasterboard     |
| 420.0075.01.38.495      | DRAFT_75/38°-495 DALI          | White (4) | Bronze Reflector(95) | 38             | 3000                   | 10       | Plasterboard     |
| 420.0075.01.4000.15.495 | *DRAFT_75                      | White (4) | Bronze Reflector(95) | 15             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.4000.38.495 | *DRAFT_75                      | White (4) | Bronze Reflector(95) | 38             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.4000.495    | *DRAFT_75                      | White (4) | Bronze Reflector(95) | 24             | 4000                   | 10       | Plasterboard     |
| 420.0075.01.495         | DRAFT_75/24°-495 DALI          | White (4) | Bronze Reflector(95) | 24             | 3000                   | 10       | Plasterboard     |
| 420.0075.15.495         | DRAFT_75/15°-495               | White (4) | Bronze Reflector(95) | 15             | 3000                   | 10       | Plasterboard     |
| 420.0075.2700.15.495    | draft 75 trimless/15/2700-495# | White (4) | Bronze Reflector(95) | 15             | 2700                   | 10       | Plasterboard     |
| 420.0075.2700.38.495    | draft 75 trimless/38/2700-495# | White (4) | Bronze Reflector(95) | 38             | 2700                   | 10       | Plasterboard     |

| Article code         | Article                        | Colour    | Additional colour    | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|----------------------|--------------------------------|-----------|----------------------|----------------|------------------------|----------|------------------|
| 420.0075.2700.495    | draft 75 trimless/24/2700-495# | White (4) | Bronze Reflector(95) | 24             | 2700                   | 10       | Plasterboard     |
| 420.0075.38.495      | DRAFT_75/38°-495               | White (4) | Bronze Reflector(95) | 38             | 3000                   | 10       | Plasterboard     |
| 420.0075.4000.15.495 | *draft75                       | White (4) | Bronze Reflector(95) | 15             | 4000                   | 10       | Plasterboard     |
| 420.0075.4000.38.495 | *DRAFT_75/38°-495 4000°K       | White (4) | Bronze Reflector(95) | 38             | 4000                   | 10       | Plasterboard     |
| 420.0075.4000.495    | *draft75                       | White (4) | Bronze Reflector(95) | 24             | 4000                   | 10       | Plasterboard     |
| 420.0075.495         | DRAFT_75/24°-495               | White (4) | Bronze Reflector(95) | 24             | 3000                   | 10       | Plasterboard     |



| Article code | Name             | Description                   |
|--------------|------------------|-------------------------------|
| 420.0075.PK  | DRAFT_75/TRIM/PK | Plaster Kit Trim per Draft 75 |