








MACROLUX



| Article code | Article | Colour | Additional colour | Beam angle (°) | Type of recessed | Watt (W) | Light Temperature (°K) |
|------------------------|-----------------------|-----------|-------------------|----------------|------------------|----------|------------------------|
| 420.0120.01.15.44 | *draft120 | White (4) | White (4) | 15 | Plasterboard | 30 | 3000 |
| 420.0120.01.38.44 | DRAFT_120/38°-44 DALI | White (4) | White (4) | 38 | Plasterboard | 30 | 3000 |
| 420.0120.01.4000.15.44 | *draft120 | White (4) | White (4) | 15 | Plasterboard | 30 | 4000 |
| 420.0120.01.4000.38.44 | *draft120 | White (4) | White (4) | 38 | Plasterboard | 30 | 4000 |
| 420.0120.01.4000.44 | *draft120 | White (4) | White (4) | 24 | Plasterboard | 30 | 4000 |
| 420.0120.01.44 | DRAFT_120/24°-44 DALI | White (4) | White (4) | 24 | Plasterboard | 30 | 3000 |
| 420.0120.15.44 | *draft120 | White (4) | White (4) | 15 | Plasterboard | 30 | 3000 |
| 420.0120.38.44 | DRAFT_120/38°-44 | White (4) | White (4) | 38 | Plasterboard | 30 | 3000 |
| 420.0120.4000.15.44 | *draft120 | White (4) | White (4) | 15 | Plasterboard | 30 | 4000 |
| 420.0120.4000.38.44 | *draft120 | White (4) | White (4) | 38 | Plasterboard | 30 | 4000 |
| 420.0120.4000.44 | *draft120 | White (4) | White (4) | 24 | Plasterboard | 30 | 4000 |
| 420.0120.44 | DRAFT_120/24°-44 | White (4) | White (4) | 24 | Plasterboard | 30 | 3000 |





| Article code | Article | Colour | Additional colour | Beam angle (°) | Type of recessed | Watt (W) | Light Temperature (°K) |
|------------------------|-----------------------|-----------|-------------------|----------------|------------------|----------|------------------------|
| 420.0120.01.15.42 | *draft120 | White (4) | Black (2) | 15 | Plasterboard | 30 | 3000 |
| 420.0120.01.38.42 | *draft120 | White (4) | Black (2) | 38 | Plasterboard | 30 | 3000 |
| 420.0120.01.4000.15.42 | *draft120 | White (4) | Black (2) | 15 | Plasterboard | 30 | 4000 |
| 420.0120.01.4000.38.42 | *draft120 | White (4) | Black (2) | 38 | Plasterboard | 30 | 4000 |
| 420.0120.01.4000.42 | *draft120 | White (4) | Black (2) | 24 | Plasterboard | 30 | 4000 |
| 420.0120.01.42 | DRAFT_120/24°-42 DALI | White (4) | Black (2) | 24 | Plasterboard | 30 | 3000 |
| 420.0120.15.42 | *draft120 | White (4) | Black (2) | 15 | Plasterboard | 30 | 3000 |
| 420.0120.38.42 | DRAFT_120/38°-42 | White (4) | Black (2) | 38 | Plasterboard | 30 | 3000 |
| 420.0120.4000.15.42 | *draft120 | White (4) | Black (2) | 15 | Plasterboard | 30 | 4000 |
| 420.0120.4000.38.42 | *draft120 | White (4) | Black (2) | 38 | Plasterboard | 30 | 4000 |
| 420.0120.4000.42 | *draft120 | White (4) | Black (2) | 24 | Plasterboard | 30 | 4000 |
| 420.0120.42 | DRAFT_120/24°-42 | White (4) | Black (2) | 24 | Plasterboard | 30 | 3000 |




| Article code | Article | Colour | Additional colour | Beam angle (°) | Type of recessed | Watt (W) | Light Temperature (°K) |
|-------------------|-----------|-----------|-------------------|----------------|------------------|----------|------------------------|
| 420.0120.01.15.46 | *draft120 | White (4) | Chrome (6) | 15 | Plasterboard | 30 | 3000 |
| 420.0120.01.38.46 | *draft120 | White (4) | Chrome (6) | 38 | Plasterboard | 30 | 3000 |

| Article code | Article | Colour | Additional colour | Beam angle (°) | Type of recessed | Watt (W) | Light Temperature (°K) |
|------------------------|-------------------------|-----------|-------------------|----------------|------------------|----------|------------------------|
| 420.0120.01.4000.15.46 | *draft120 | White (4) | Chrome (6) | 15 | Plasterboard | 30 | 4000 |
| 420.0120.01.4000.38.46 | *draft120 | White (4) | Chrome (6) | 38 | Plasterboard | 30 | 4000 |
| 420.0120.01.4000.46 | *draft120 | White (4) | Chrome (6) | 24 | Plasterboard | 30 | 4000 |
| 420.0120.01.46 | DRAFT_120/24°-46 DALI | White (4) | Chrome (6) | 24 | Plasterboard | 30 | 3000 |
| 420.0120.15.46 | *draft120 | White (4) | Chrome (6) | 15 | Plasterboard | 30 | 3000 |
| 420.0120.38.46 | DRAFT_120/38°-46 | White (4) | Chrome (6) | 38 | Plasterboard | 30 | 3000 |
| 420.0120.4000.15.46 | *draft120 | White (4) | Chrome (6) | 15 | Plasterboard | 30 | 4000 |
| 420.0120.4000.38.46 | DRAFT_120/4000°K/38°-46 | White (4) | Chrome (6) | 38 | Plasterboard | 30 | 4000 |
| 420.0120.4000.46 | *draft120 | White (4) | Chrome (6) | 24 | Plasterboard | 30 | 4000 |
| 420.0120.46 | DRAFT_120/24°-46 | White (4) | Chrome (6) | 24 | Plasterboard | 30 | 3000 |



| Article code | Article | Colour | Additional colour | Beam angle (°) | Type of recessed | Watt (W) | Light Temperature (°K) |
|-------------------------|------------------------|-----------|----------------------|----------------|------------------|----------|------------------------|
| 420.0120.01.15.495 | *draft120 | White (4) | Bronze Reflector(95) | 15 | Plasterboard | 30 | 3000 |
| 420.0120.01.38.495 | DRAFT_120/38°-495 DALI | White (4) | Bronze Reflector(95) | 38 | Plasterboard | 30 | 3000 |
| 420.0120.01.4000.15.495 | *draft120 | White (4) | Bronze Reflector(95) | 15 | Plasterboard | 30 | 4000 |
| 420.0120.01.4000.38.495 | *draft120 | White (4) | Bronze Reflector(95) | 38 | Plasterboard | 30 | 4000 |
| 420.0120.01.4000.495 | *draft120 | White (4) | Bronze Reflector(95) | 24 | Plasterboard | 30 | 4000 |
| 420.0120.01.495 | *draft120 | White (4) | Bronze Reflector(95) | 24 | Plasterboard | 30 | 3000 |
| 420.0120.15.495 | *draft120 | White (4) | Bronze Reflector(95) | 15 | Plasterboard | 30 | 3000 |
| 420.0120.38.495 | DRAFT_120/38°-495 | White (4) | Bronze Reflector(95) | 38 | Plasterboard | 30 | 3000 |
| 420.0120.4000.15.495 | *draft120 | White (4) | Bronze Reflector(95) | 15 | Plasterboard | 30 | 4000 |
| 420.0120.4000.38.495 | *draft120 | White (4) | Bronze Reflector(95) | 38 | Plasterboard | 30 | 4000 |
| 420.0120.4000.495 | *draft120 | White (4) | Bronze Reflector(95) | 24 | Plasterboard | 30 | 4000 |
| 420.0120.495 | DRAFT_120/24°-495 | White (4) | Bronze Reflector(95) | 24 | Plasterboard | 30 | 3000 |



| Article code | Name | Description |
|--------------|----------------------|-------------------------------------|
| 420.1120.PK | DRAFT120/TRIMLESS/PK | Plaster Kit Trimmless per Draft 120 |