







MACROLUX





Article code	Article	Colour	Additional colour	Beam angle (°)	Type of recessed	Watt (W)	Light Temperature (°K)
420.0120.01.15.44	*draft120	White (4)	White (4)	15	Plasterboard	30	3000
420.0120.01.2700.15.44	draft 120 trimless/15/2700-44#	White (4)	White (4)	15	Plasterboard	30	2700
420.0120.01.2700.38.44	draft 120 trimless/38/2700-44#	White (4)	White (4)	38	Plasterboard	30	2700
420.0120.01.2700.44	draft 120 trimless/24/2700-44#	White (4)	White (4)	24	Plasterboard	30	2700
420.0120.01.38.44	DRAFT_120/38°-44 DALI	White (4)	White (4)	38	Plasterboard	30	3000
420.0120.01.4000.15.44	*draft120	White (4)	White (4)	15	Plasterboard	30	4000
420.0120.01.4000.38.44	*draft120	White (4)	White (4)	38	Plasterboard	30	4000
420.0120.01.4000.44	*draft120	White (4)	White (4)	24	Plasterboard	30	4000
420.0120.01.44	DRAFT_120/24°-44 DALI	White (4)	White (4)	24	Plasterboard	30	3000
420.0120.15.44	*draft120	White (4)	White (4)	15	Plasterboard	30	3000
420.0120.2700.15.44	draft 120 trimless/15/2700-44#	White (4)	White (4)	15	Plasterboard	30	2700
420.0120.2700.38.44	draft 120 trimless/38/2700-44#	White (4)	White (4)	38	Plasterboard	30	2700
420.0120.2700.44	draft 120 trimless/24/2700-44#	White (4)	White (4)	24	Plasterboard	30	2700
420.0120.38.44	DRAFT_120/38°-44	White (4)	White (4)	38	Plasterboard	30	3000
420.0120.4000.15.44	*draft120	White (4)	White (4)	15	Plasterboard	30	4000
420.0120.4000.38.44	*draft120	White (4)	White (4)	38	Plasterboard	30	4000
420.0120.4000.44	*draft120	White (4)	White (4)	24	Plasterboard	30	4000
420.0120.44	DRAFT_120/24°-44	White (4)	White (4)	24	Plasterboard	30	3000



Article code	Article	Colour	Additional colour	Beam angle (°)	Type of recessed	Watt (W)	Light Temperature (°K)
420.0120.01.15.42	*draft120	White (4)	Black (2)	15	Plasterboard	30	3000
420.0120.01.2700.15.42	draft 120 trimless/15/2700-42#	White (4)	Black (2)	15	Plasterboard	30	2700
420.0120.01.2700.38.42	draft 120 trimless/38/2700-42#	White (4)	Black (2)	38	Plasterboard	30	2700
420.0120.01.2700.42	DRAFT_120/24°-42 2700°K DALI	White (4)	Black (2)	24	Plasterboard	30	2700
420.0120.01.38.42	*draft120	White (4)	Black (2)	38	Plasterboard	30	3000
420.0120.01.4000.15.42	*draft120	White (4)	Black (2)	15	Plasterboard	30	4000
420.0120.01.4000.38.42	*draft120	White (4)	Black (2)	38	Plasterboard	30	4000
420.0120.01.4000.42	*draft120	White (4)	Black (2)	24	Plasterboard	30	4000
420.0120.01.42	DRAFT_120/24°-42 DALI	White (4)	Black (2)	24	Plasterboard	30	3000
420.0120.15.42	*draft120	White (4)	Black (2)	15	Plasterboard	30	3000
420.0120.2700.15.42	draft 120 trimless/15/2700-42#	White (4)	Black (2)	15	Plasterboard	30	2700
420.0120.2700.38.42	draft 120 trimless/38/2700-42#	White (4)	Black (2)	38	Plasterboard	30	2700
420.0120.2700.42	draft 120 trimless/24/2700-42#	White (4)	Black (2)	24	Plasterboard	30	2700
420.0120.38.42	DRAFT_120/38°-42	White (4)	Black (2)	38	Plasterboard	30	3000
420.0120.4000.15.42	*draft120	White (4)	Black (2)	15	Plasterboard	30	4000
420.0120.4000.38.42	*draft120	White (4)	Black (2)	38	Plasterboard	30	4000
420.0120.4000.42	*draft120	White (4)	Black (2)	24	Plasterboard	30	4000
420.0120.42	DRAFT_120/24°-42	White (4)	Black (2)	24	Plasterboard	30	3000




Article code	Article	Colour	Additional colour	Beam angle (°)	Type of recessed	Watt (W)	Light Temperature (°K)
420.0120.01.15.46	*draft120	White (4)	Chrome (6)	15	Plasterboard	30	3000
420.0120.01.2700.15.46	draft 120 trimless/15/2700-46#	White (4)	Chrome (6)	15	Plasterboard	30	2700
420.0120.01.2700.38.46	draft 120 trimless/38/2700-46#	White (4)	Chrome (6)	38	Plasterboard	30	2700
420.0120.01.2700.46	draft 120 trimless/24/2700-46#	White (4)	Chrome (6)	24	Plasterboard	30	2700
420.0120.01.38.46	*draft120	White (4)	Chrome (6)	38	Plasterboard	30	3000
420.0120.01.4000.15.46	*draft120	White (4)	Chrome (6)	15	Plasterboard	30	4000
420.0120.01.4000.38.46	*draft120	White (4)	Chrome (6)	38	Plasterboard	30	4000
420.0120.01.4000.46	*draft120	White (4)	Chrome (6)	24	Plasterboard	30	4000
420.0120.01.46	DRAFT_120/24°-46 DALI	White (4)	Chrome (6)	24	Plasterboard	30	3000
420.0120.15.46	*draft120	White (4)	Chrome (6)	15	Plasterboard	30	3000
420.0120.2700.15.46	draft 120 trimless/15/2700-46#	White (4)	Chrome (6)	15	Plasterboard	30	2700
420.0120.2700.38.46	draft 120 trimless/38/2700-46#	White (4)	Chrome (6)	38	Plasterboard	30	2700
420.0120.2700.46	draft 120 trimless/24/2700-46#	White (4)	Chrome (6)	24	Plasterboard	30	2700
420.0120.38.46	DRAFT_120/38°-46	White (4)	Chrome (6)	38	Plasterboard	30	3000
420.0120.4000.15.46	*draft120	White (4)	Chrome (6)	15	Plasterboard	30	4000
420.0120.4000.38.46	DRAFT_120/4000°K/38°-46	White (4)	Chrome (6)	38	Plasterboard	30	4000
420.0120.4000.46	*draft120	White (4)	Chrome (6)	24	Plasterboard	30	4000
420.0120.46	DRAFT_120/24°-46	White (4)	Chrome (6)	24	Plasterboard	30	3000



Article code	Article	Colour	Additional colour	Beam angle (°)	Type of recessed	Watt (W)	Light Temperature (°K)
420.0120.01.15.495	*draft120	White (4)	Bronze Reflector(95)	15	Plasterboard	30	3000
420.0120.01.2700.15.495	draft 120 trimless/15/2700-495#	White (4)	Bronze Reflector(95)	15	Plasterboard	30	2700
420.0120.01.2700.38.495	draft 120 trimless/38/2700-495#	White (4)	Bronze Reflector(95)	38	Plasterboard	30	2700
420.0120.01.2700.495	draft 120 trimless/24/2700-495#	White (4)	Bronze Reflector(95)	24	Plasterboard	30	2700
420.0120.01.38.495	DRAFT_120/38°-495 DALI	White (4)	Bronze Reflector(95)	38	Plasterboard	30	3000
420.0120.01.4000.15.495	*draft120	White (4)	Bronze Reflector(95)	15	Plasterboard	30	4000
420.0120.01.4000.38.495	*draft120	White (4)	Bronze Reflector(95)	38	Plasterboard	30	4000
420.0120.01.4000.495	*draft120	White (4)	Bronze Reflector(95)	24	Plasterboard	30	4000
420.0120.01.495	*draft120	White (4)	Bronze Reflector(95)	24	Plasterboard	30	3000
420.0120.15.495	*draft120	White (4)	Bronze Reflector(95)	15	Plasterboard	30	3000
420.0120.2700.15.495	draft 120 trimless/15/2700-495#	White (4)	Bronze Reflector(95)	15	Plasterboard	30	2700
420.0120.2700.38.495	draft 120 trimless/38/2700-495#	White (4)	Bronze Reflector(95)	38	Plasterboard	30	2700

Article code	Article	Colour	Additional colour	Beam angle (°)	Type of recessed	Watt (W)	Light Temperature (°K)
420.0120.2700.495	draft 120 trimless/24/2700-495#	White (4)	Bronze Reflector(95)	24	Plasterboard	30	2700
420.0120.38.495	DRAFT_120/38°-495	White (4)	Bronze Reflector(95)	38	Plasterboard	30	3000
420.0120.4000.15.495	*draft120	White (4)	Bronze Reflector(95)	15	Plasterboard	30	4000
420.0120.4000.38.495	*draft120	White (4)	Bronze Reflector(95)	38	Plasterboard	30	4000
420.0120.4000.495	*draft120	White (4)	Bronze Reflector(95)	24	Plasterboard	30	4000
420.0120.495	DRAFT_120/24°-495	White (4)	Bronze Reflector(95)	24	Plasterboard	30	3000



Article code	Name	Description
420.1120.PK	DRAFT120/TRIMLESS/PK	Plaster Kit Trimmless per Draft 120