





# MACROLUX




| Article code        | Article                  | Colour    | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|---------------------|--------------------------|-----------|----------------|------------------------|----------|------------------|
| 1215.0230.30.2      | LOTUS/INCASSO/30°-2      | Black (2) | 30             | 3000                   | 8.3      | Plasterboard     |
| 1215.0230.30.2700.2 | Lotus incasso/30/2700-2# | Black (2) | 30             | 2700                   | 8.3      | Plasterboard     |
| 1215.0230.30.4000.2 | Lotus incasso/30/4000-2# | Black (2) | 30             | 4000                   | 8.3      | Plasterboard     |
| 1215.0230.40.2      | LOTUS/INCASSO/40°-2      | Black (2) | 40             | 3000                   | 8.3      | Plasterboard     |
| 1215.0230.40.2700.2 | Lotus incasso/40/2700-2# | Black (2) | 40             | 2700                   | 8.3      | Plasterboard     |
| 1215.0230.40.4000.2 | Lotus incasso/40/4000-2# | Black (2) | 40             | 4000                   | 8.3      | Plasterboard     |
| 1215.0230.60.2      | Lotus incasso/60/3000-2# | Black (2) | 60             | 3000                   | 8.3      | Plasterboard     |
| 1215.0230.60.2700.2 | Lotus incasso/60/2700-2# | Black (2) | 60             | 2700                   | 8.3      | Plasterboard     |
| 1215.0230.60.4000.2 | Lotus incasso/60/4000-2# | Black (2) | 60             | 4000                   | 8.3      | Plasterboard     |
| 1215.0238.30.2      | Lotus incasso/30/3000-2# | Black (2) | 30             | 3000                   | 8.3      | Plasterboard     |
| 1215.0238.30.2700.2 | Lotus incasso/30/2700-2# | Black (2) | 30             | 2700                   | 8.3      | Plasterboard     |
| 1215.0238.30.4000.2 | Lotus incasso/30/4000-2# | Black (2) | 30             | 4000                   | 8.3      | Plasterboard     |
| 1215.0238.40.2      | LOTUS/INCASSO/40°-2 DALI | Black (2) | 40             | 3000                   | 8.3      | Plasterboard     |
| 1215.0238.40.2700.2 | Lotus incasso/40/2700-2# | Black (2) | 40             | 2700                   | 8.3      | Plasterboard     |
| 1215.0238.40.4000.2 | Lotus incasso/40/4000-2# | Black (2) | 40             | 4000                   | 8.3      | Plasterboard     |
| 1215.0238.60.2      | Lotus incasso/60/3000-2# | Black (2) | 60             | 3000                   | 8.3      | Plasterboard     |
| 1215.0238.60.2700.2 | Lotus incasso/60/2700-2# | Black (2) | 60             | 2700                   | 8.3      | Plasterboard     |
| 1215.0238.60.4000.2 | Lotus incasso/60/4000-2# | Black (2) | 60             | 4000                   | 8.3      | Plasterboard     |




| Article code        | Article                    | Colour    | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|---------------------|----------------------------|-----------|----------------|------------------------|----------|------------------|
| 1215.0230.30.2700.4 | Lotus incasso/30/2700-4#   | White (4) | 30             | 2700                   | 8.3      | Plasterboard     |
| 1215.0230.30.4      | LOTUS/INCASSO/30°-4        | White (4) | 30             | 3000                   | 8.3      | Plasterboard     |
| 1215.0230.30.4000.4 | Lotus incasso/30/4000-4#   | White (4) | 30             | 4000                   | 8.3      | Plasterboard     |
| 1215.0230.40.2700.4 | LOTUS/INCASSO/40°-4 2700°K | White (4) | 40             | 2700                   | 8.3      | Plasterboard     |
| 1215.0230.40.4      | LOTUS/INCASSO/40°-4        | White (4) | 40             | 3000                   | 8.3      | Plasterboard     |
| 1215.0230.40.4000.4 | Lotus incasso/40/4000-4#   | White (4) | 40             | 4000                   | 8.3      | Plasterboard     |
| 1215.0230.60.2700.4 | LOTUS/INCASSO/60°-4 2700°K | White (4) | 60             | 2700                   | 8.3      | Plasterboard     |
| 1215.0230.60.4      | LOTUS/INCASSO/60°-4        | White (4) | 60             | 3000                   | 8.3      | Plasterboard     |
| 1215.0230.60.4000.4 | Lotus incasso/60/4000-4#   | White (4) | 60             | 4000                   | 8.3      | Plasterboard     |
| 1215.0238.30.2700.4 | Lotus incasso/30/2700-4#   | White (4) | 30             | 2700                   | 8.3      | Plasterboard     |
| 1215.0238.30.4      | Lotus incasso/30/3000-4#   | White (4) | 30             | 3000                   | 8.3      | Plasterboard     |
| 1215.0238.30.4000.4 | Lotus incasso/30/4000-4#   | White (4) | 30             | 4000                   | 8.3      | Plasterboard     |
| 1215.0238.40.2700.4 | Lotus incasso/40/2700-4#   | White (4) | 40             | 2700                   | 8.3      | Plasterboard     |
| 1215.0238.40.4      | LOTUS/INCASSO/40°-4 DALI   | White (4) | 40             | 3000                   | 8.3      | Plasterboard     |
| 1215.0238.40.4000.4 | Lotus incasso/40/4000-4#   | White (4) | 40             | 4000                   | 8.3      | Plasterboard     |
| 1215.0238.60.2700.4 | Lotus incasso/60/2700-4#   | White (4) | 60             | 2700                   | 8.3      | Plasterboard     |
| 1215.0238.60.4      | Lotus incasso/60/3000-4#   | White (4) | 60             | 3000                   | 8.3      | Plasterboard     |
| 1215.0238.60.4000.4 | Lotus incasso/60/4000-4#   | White (4) | 60             | 4000                   | 8.3      | Plasterboard     |




| Article code         | Article                   | Colour      | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed |
|----------------------|---------------------------|-------------|----------------|------------------------|----------|------------------|
| 1215.0230.30.2700.96 | Lotus incasso/30/2700-96# | Bronze (96) | 30             | 2700                   | 8.3      | Plasterboard     |
| 1215.0230.30.4000.96 | Lotus incasso/30/4000-96# | Bronze (96) | 30             | 4000                   | 8.3      | Plasterboard     |
| 1215.0230.30.96      | LOTUS/INCASSO/30°-96      | Bronze (96) | 30             | 3000                   | 8.3      | Plasterboard     |
| 1215.0230.40.2700.96 | Lotus incasso/40/2700-96# | Bronze (96) | 40             | 2700                   | 8.3      | Plasterboard     |
| 1215.0230.40.4000.96 | Lotus incasso/40/4000-96# | Bronze (96) | 40             | 4000                   | 8.3      | Plasterboard     |
| 1215.0230.40.96      | LOTUS/INCASSO/40°-96      | Bronze (96) | 40             | 3000                   | 8.3      | Plasterboard     |
| 1215.0230.60.2700.96 | Lotus incasso/60/2700-96# | Bronze (96) | 60             | 2700                   | 8.3      | Plasterboard     |
| 1215.0230.60.4000.96 | Lotus incasso/60/4000-96# | Bronze (96) | 60             | 4000                   | 8.3      | Plasterboard     |
| 1215.0230.60.96      | Lotus incasso/60/3000-96# | Bronze (96) | 60             | 3000                   | 8.3      | Plasterboard     |
| 1215.0238.30.2700.96 | Lotus incasso/30/2700-96# | Bronze (96) | 30             | 2700                   | 8.3      | Plasterboard     |
| 1215.0238.30.4000.96 | Lotus incasso/30/4000-96# | Bronze (96) | 30             | 4000                   | 8.3      | Plasterboard     |
| 1215.0238.30.96      | Lotus incasso/30/3000-96# | Bronze (96) | 30             | 3000                   | 8.3      | Plasterboard     |
| 1215.0238.40.2700.96 | Lotus incasso/40/2700-96# | Bronze (96) | 40             | 2700                   | 8.3      | Plasterboard     |
| 1215.0238.40.4000.96 | Lotus incasso/40/4000-96# | Bronze (96) | 40             | 4000                   | 8.3      | Plasterboard     |
| 1215.0238.40.96      | LOTUS/INCASSO/40°-96 DALI | Bronze (96) | 40             | 3000                   | 8.3      | Plasterboard     |
| 1215.0238.60.2700.96 | Lotus incasso/60/2700-96# | Bronze (96) | 60             | 2700                   | 8.3      | Plasterboard     |
| 1215.0238.60.4000.96 | Lotus incasso/60/4000-96# | Bronze (96) | 60             | 4000                   | 8.3      | Plasterboard     |
| 1215.0238.60.96      | LOTUS/INCASSO/60°-96 DALI | Bronze (96) | 60             | 3000                   | 8.3      | Plasterboard     |



| Article code         | Article                   | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed | Colour           |
|----------------------|---------------------------|----------------|------------------------|----------|------------------|------------------|
| 1215.0230.30.24      | Lotus incasso/30/3000-24# | 30             | 3000                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0230.30.2700.24 | Lotus incasso/30/2700-24# | 30             | 2700                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0230.30.4000.24 | Lotus incasso/30/4000-24# | 30             | 4000                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0230.40.24      | LOTUS/INCASSO/40°-24      | 40             | 3000                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0230.40.2700.24 | Lotus incasso/40/2700-24# | 40             | 2700                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0230.40.4000.24 | Lotus incasso/40/4000-24# | 40             | 4000                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0230.60.24      | Lotus incasso/60/3000-24# | 60             | 3000                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0230.60.2700.24 | Lotus incasso/60/2700-24# | 60             | 2700                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0230.60.4000.24 | Lotus incasso/60/4000-24# | 60             | 4000                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0238.30.24      | Lotus incasso/30/3000-24# | 30             | 3000                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0238.30.2700.24 | Lotus incasso/30/2700-24# | 30             | 2700                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0238.30.4000.24 | Lotus incasso/30/4000-24# | 30             | 4000                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0238.40.24      | Lotus incasso/40/3000-24# | 40             | 3000                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0238.40.2700.24 | Lotus incasso/40/2700-24# | 40             | 2700                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0238.40.4000.24 | Lotus incasso/40/4000-24# | 40             | 4000                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0238.60.24      | Lotus incasso/60/3000-24# | 60             | 3000                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0238.60.2700.24 | Lotus incasso/60/2700-24# | 60             | 2700                   | 8.3      | Plasterboard     | Black/White (24) |
| 1215.0238.60.4000.24 | Lotus incasso/60/4000-24# | 60             | 4000                   | 8.3      | Plasterboard     | Black/White (24) |



| Article code         | Article                          | Beam angle (°) | Light Temperature (°K) | Watt (W) | Type of recessed | Colour           |
|----------------------|----------------------------------|----------------|------------------------|----------|------------------|------------------|
| 1215.0230.30.2700.42 | Lotus incasso/30/2700-42#        | 30             | 2700                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0230.30.4000.42 | Lotus incasso/30/4000-42#        | 30             | 4000                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0230.30.42      | LOTUS/INCASSO/30°-42             | 30             | 3000                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0230.40.2700.42 | Lotus incasso/40/2700-42#        | 40             | 2700                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0230.40.4000.42 | Lotus incasso/40/4000-42#        | 40             | 4000                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0230.40.42      | LOTUS/INCASSO/40°-42             | 40             | 3000                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0230.60.2700.42 | Lotus incasso/60/2700-42#        | 60             | 2700                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0230.60.4000.42 | Lotus incasso/60/4000-42#        | 60             | 4000                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0230.60.42      | Lotus incasso/60/3000-42#        | 60             | 3000                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0238.30.2700.42 | Lotus incasso/30/2700-42#        | 30             | 2700                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0238.30.4000.42 | Lotus incasso/30/4000-42#        | 30             | 4000                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0238.30.42      | Lotus incasso/30/3000-42#        | 30             | 3000                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0238.40.2700.42 | LOTUS/INCASSO/40°-42 2700°K DALI | 40             | 2700                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0238.40.4000.42 | Lotus incasso/40/4000-42#        | 40             | 4000                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0238.40.42      | LOTUS/INCASSO/40°-42 DALI        | 40             | 3000                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0238.60.2700.42 | Lotus incasso/60/2700-42#        | 60             | 2700                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0238.60.4000.42 | Lotus incasso/60/4000-42#        | 60             | 4000                   | 8.3      | Plasterboard     | White/Black (42) |
| 1215.0238.60.42      | LOTUS/INCASSO/60°-42 DALI        | 60             | 3000                   | 8.3      | Plasterboard     | White/Black (42) |



| Article code | Name    | Description                                |
|--------------|---------|--------------------------------------------|
| 18.1002.PK   | RF70/PK | Plaster kit per proiettore ad incasso RF70 |