




MACROLUX




Article code	Article	Colour	Beam angle (°)	Light Temperature (°K)	Watt (W)	Type of recessed
1215.0230.30.2	LOTUS/INCASSO/30°-2	Black (2)	30	3000	8.3	Plasterboard
1215.0230.30.2700.2	Lotus incasso/30/2700-2#	Black (2)	30	2700	8.3	Plasterboard
1215.0230.30.4000.2	Lotus incasso/30/4000-2#	Black (2)	30	4000	8.3	Plasterboard
1215.0230.40.2	LOTUS/INCASSO/40°-2	Black (2)	40	3000	8.3	Plasterboard
1215.0230.40.2700.2	Lotus incasso/40/2700-2#	Black (2)	40	2700	8.3	Plasterboard
1215.0230.40.4000.2	Lotus incasso/40/4000-2#	Black (2)	40	4000	8.3	Plasterboard
1215.0230.60.2	Lotus incasso/60/3000-2#	Black (2)	60	3000	8.3	Plasterboard
1215.0230.60.2700.2	Lotus incasso/60/2700-2#	Black (2)	60	2700	8.3	Plasterboard
1215.0230.60.4000.2	Lotus incasso/60/4000-2#	Black (2)	60	4000	8.3	Plasterboard
1215.0238.30.2	Lotus incasso/30/3000-2#	Black (2)	30	3000	8.3	Plasterboard
1215.0238.30.2700.2	Lotus incasso/30/2700-2#	Black (2)	30	2700	8.3	Plasterboard
1215.0238.30.4000.2	Lotus incasso/30/4000-2#	Black (2)	30	4000	8.3	Plasterboard
1215.0238.40.2	LOTUS/INCASSO/40°-2 DALI	Black (2)	40	3000	8.3	Plasterboard
1215.0238.40.2700.2	Lotus incasso/40/2700-2#	Black (2)	40	2700	8.3	Plasterboard
1215.0238.40.4000.2	Lotus incasso/40/4000-2#	Black (2)	40	4000	8.3	Plasterboard
1215.0238.60.2	Lotus incasso/60/3000-2#	Black (2)	60	3000	8.3	Plasterboard
1215.0238.60.2700.2	Lotus incasso/60/2700-2#	Black (2)	60	2700	8.3	Plasterboard
1215.0238.60.4000.2	Lotus incasso/60/4000-2#	Black (2)	60	4000	8.3	Plasterboard





Article code	Article	Colour	Beam angle (°)	Light Temperature (°K)	Watt (W)	Type of recessed
1215.0230.30.2700.4	Lotus incasso/30/2700-4#	White (4)	30	2700	8.3	Plasterboard
1215.0230.30.4	LOTUS/INCASSO/30°-4	White (4)	30	3000	8.3	Plasterboard
1215.0230.30.4000.4	Lotus incasso/30/4000-4#	White (4)	30	4000	8.3	Plasterboard
1215.0230.40.2700.4	LOTUS/INCASSO/40°-4 2700°K	White (4)	40	2700	8.3	Plasterboard
1215.0230.40.4	LOTUS/INCASSO/40°-4	White (4)	40	3000	8.3	Plasterboard
1215.0230.40.4000.4	Lotus incasso/40/4000-4#	White (4)	40	4000	8.3	Plasterboard
1215.0230.60.2700.4	LOTUS/INCASSO/60°-4 2700°K	White (4)	60	2700	8.3	Plasterboard
1215.0230.60.4	LOTUS/INCASSO/60°-4	White (4)	60	3000	8.3	Plasterboard
1215.0230.60.4000.4	Lotus incasso/60/4000-4#	White (4)	60	4000	8.3	Plasterboard
1215.0238.30.2700.4	Lotus incasso/30/2700-4#	White (4)	30	2700	8.3	Plasterboard
1215.0238.30.4	Lotus incasso/30/3000-4#	White (4)	30	3000	8.3	Plasterboard
1215.0238.30.4000.4	Lotus incasso/30/4000-4#	White (4)	30	4000	8.3	Plasterboard
1215.0238.40.2700.4	Lotus incasso/40/2700-4#	White (4)	40	2700	8.3	Plasterboard
1215.0238.40.4	LOTUS/INCASSO/40°-4 DALI	White (4)	40	3000	8.3	Plasterboard
1215.0238.40.4000.4	Lotus incasso/40/4000-4#	White (4)	40	4000	8.3	Plasterboard
1215.0238.60.2700.4	Lotus incasso/60/2700-4#	White (4)	60	2700	8.3	Plasterboard
1215.0238.60.4	Lotus incasso/60/3000-4#	White (4)	60	3000	8.3	Plasterboard
1215.0238.60.4000.4	Lotus incasso/60/4000-4#	White (4)	60	4000	8.3	Plasterboard




Article code	Article	Colour	Beam angle (°)	Light Temperature (°K)	Watt (W)	Type of recessed
1215.0230.30.2700.86	Lotus incasso/30/2700-86#	Bluish Gray (86)	30	2700	8.3	Plasterboard
1215.0230.30.4000.86	Lotus incasso/30/4000-86#	Bluish Gray (86)	30	4000	8.3	Plasterboard
1215.0230.30.86	Lotus incasso/30/3000-86#	Bluish Gray (86)	30	3000	8.3	Plasterboard
1215.0230.40.2700.86	Lotus incasso/40/2700-86#	Bluish Gray (86)	40	2700	8.3	Plasterboard
1215.0230.40.4000.86	Lotus incasso/40/4000-86#	Bluish Gray (86)	40	4000	8.3	Plasterboard
1215.0230.40.86	Lotus incasso/40/3000-86#	Bluish Gray (86)	40	3000	8.3	Plasterboard
1215.0230.60.2700.86	Lotus incasso/60/2700-86#	Bluish Gray (86)	60	2700	8.3	Plasterboard
1215.0230.60.4000.86	Lotus incasso/60/4000-86#	Bluish Gray (86)	60	4000	8.3	Plasterboard
1215.0230.60.86	Lotus incasso/60/3000-86#	Bluish Gray (86)	60	3000	8.3	Plasterboard
1215.0238.30.2700.86	Lotus incasso/30/2700-86#	Bluish Gray (86)	30	2700	8.3	Plasterboard
1215.0238.30.4000.86	Lotus incasso/30/4000-86#	Bluish Gray (86)	30	4000	8.3	Plasterboard
1215.0238.30.86	LOTUS/INCASSO/30°-86 DALI	Bluish Gray (86)	30	3000	8.3	Plasterboard
1215.0238.40.2700.86	Lotus incasso/40/2700-86#	Bluish Gray (86)	40	2700	8.3	Plasterboard
1215.0238.40.4000.86	Lotus incasso/40/4000-86#	Bluish Gray (86)	40	4000	8.3	Plasterboard
1215.0238.40.86	Lotus incasso/40/3000-86#	Bluish Gray (86)	40	3000	8.3	Plasterboard
1215.0238.60.2700.86	Lotus incasso/60/2700-86#	Bluish Gray (86)	60	2700	8.3	Plasterboard
1215.0238.60.4000.86	Lotus incasso/60/4000-86#	Bluish Gray (86)	60	4000	8.3	Plasterboard
1215.0238.60.86	Lotus incasso/60/3000-86#	Bluish Gray (86)	60	3000	8.3	Plasterboard




Article code	Article	Colour	Beam angle (°)	Light Temperature (°K)	Watt (W)	Type of recessed
1215.0230.30.2700.87	Lotus incasso/30/2700-87#	Silk Gray (87)	30	2700	8.3	Plasterboard
1215.0230.30.4000.87	Lotus incasso/30/4000-87#	Silk Gray (87)	30	4000	8.3	Plasterboard
1215.0230.30.87	Lotus incasso/30/3000-87#	Silk Gray (87)	30	3000	8.3	Plasterboard
1215.0230.40.2700.87	Lotus incasso/40/2700-87#	Silk Gray (87)	40	2700	8.3	Plasterboard
1215.0230.40.4000.87	Lotus incasso/40/4000-87#	Silk Gray (87)	40	4000	8.3	Plasterboard
1215.0230.40.87	Lotus incasso/40/3000-87#	Silk Gray (87)	40	3000	8.3	Plasterboard
1215.0230.60.2700.87	Lotus incasso/60/2700-87#	Silk Gray (87)	60	2700	8.3	Plasterboard
1215.0230.60.4000.87	Lotus incasso/60/4000-87#	Silk Gray (87)	60	4000	8.3	Plasterboard
1215.0230.60.87	LOTUS/INCASSO/60°-87	Silk Gray (87)	60	3000	8.3	Plasterboard
1215.0238.30.2700.87	Lotus incasso/30/2700-87#	Silk Gray (87)	30	2700	8.3	Plasterboard
1215.0238.30.4000.87	Lotus incasso/30/4000-87#	Silk Gray (87)	30	4000	8.3	Plasterboard
1215.0238.30.87	Lotus incasso/30/3000-87#	Silk Gray (87)	30	3000	8.3	Plasterboard
1215.0238.40.2700.87	Lotus incasso/40/2700-87#	Silk Gray (87)	40	2700	8.3	Plasterboard
1215.0238.40.4000.87	Lotus incasso/40/4000-87#	Silk Gray (87)	40	4000	8.3	Plasterboard
1215.0238.40.87	Lotus incasso/40/3000-87#	Silk Gray (87)	40	3000	8.3	Plasterboard
1215.0238.60.2700.87	Lotus incasso/60/2700-87#	Silk Gray (87)	60	2700	8.3	Plasterboard
1215.0238.60.4000.87	Lotus incasso/60/4000-87#	Silk Gray (87)	60	4000	8.3	Plasterboard
1215.0238.60.87	Lotus incasso/60/3000-87#	Silk Gray (87)	60	3000	8.3	Plasterboard




Article code	Article	Colour	Beam angle (°)	Light Temperature (°K)	Watt (W)	Type of recessed
1215.0230.30.2700.96	Lotus incasso/30/2700-96#	Bronze (96)	30	2700	8.3	Plasterboard
1215.0230.30.4000.96	Lotus incasso/30/4000-96#	Bronze (96)	30	4000	8.3	Plasterboard
1215.0230.30.96	Lotus incasso/30/3000-96#	Bronze (96)	30	3000	8.3	Plasterboard
1215.0230.40.2700.96	Lotus incasso/40/2700-96#	Bronze (96)	40	2700	8.3	Plasterboard
1215.0230.40.4000.96	Lotus incasso/40/4000-96#	Bronze (96)	40	4000	8.3	Plasterboard
1215.0230.40.96	LOTUS/INCASSO/40°-96	Bronze (96)	40	3000	8.3	Plasterboard
1215.0230.60.2700.96	Lotus incasso/60/2700-96#	Bronze (96)	60	2700	8.3	Plasterboard
1215.0230.60.4000.96	Lotus incasso/60/4000-96#	Bronze (96)	60	4000	8.3	Plasterboard
1215.0230.60.96	Lotus incasso/60/3000-96#	Bronze (96)	60	3000	8.3	Plasterboard
1215.0238.30.2700.96	Lotus incasso/30/2700-96#	Bronze (96)	30	2700	8.3	Plasterboard
1215.0238.30.4000.96	Lotus incasso/30/4000-96#	Bronze (96)	30	4000	8.3	Plasterboard
1215.0238.30.96	Lotus incasso/30/3000-96#	Bronze (96)	30	3000	8.3	Plasterboard
1215.0238.40.2700.96	Lotus incasso/40/2700-96#	Bronze (96)	40	2700	8.3	Plasterboard
1215.0238.40.4000.96	Lotus incasso/40/4000-96#	Bronze (96)	40	4000	8.3	Plasterboard
1215.0238.40.96	Lotus incasso/40/3000-96#	Bronze (96)	40	3000	8.3	Plasterboard
1215.0238.60.2700.96	Lotus incasso/60/2700-96#	Bronze (96)	60	2700	8.3	Plasterboard
1215.0238.60.4000.96	Lotus incasso/60/4000-96#	Bronze (96)	60	4000	8.3	Plasterboard
1215.0238.60.96	LOTUS/INCASSO/60°-96 DALI	Bronze (96)	60	3000	8.3	Plasterboard



Article code	Article	Beam angle (°)	Light Temperature (°K)	Watt (W)	Type of recessed	Colour
1215.0230.30.24	Lotus incasso/30/3000-24#	30	3000	8.3	Plasterboard	Black/White (24)
1215.0230.30.2700.24	Lotus incasso/30/2700-24#	30	2700	8.3	Plasterboard	Black/White (24)
1215.0230.30.4000.24	Lotus incasso/30/4000-24#	30	4000	8.3	Plasterboard	Black/White (24)
1215.0230.40.24	LOTUS/INCASSO/40°-24	40	3000	8.3	Plasterboard	Black/White (24)
1215.0230.40.2700.24	Lotus incasso/40/2700-24#	40	2700	8.3	Plasterboard	Black/White (24)
1215.0230.40.4000.24	Lotus incasso/40/4000-24#	40	4000	8.3	Plasterboard	Black/White (24)
1215.0230.60.24	Lotus incasso/60/3000-24#	60	3000	8.3	Plasterboard	Black/White (24)
1215.0230.60.2700.24	Lotus incasso/60/2700-24#	60	2700	8.3	Plasterboard	Black/White (24)
1215.0230.60.4000.24	Lotus incasso/60/4000-24#	60	4000	8.3	Plasterboard	Black/White (24)
1215.0238.30.24	Lotus incasso/30/3000-24#	30	3000	8.3	Plasterboard	Black/White (24)
1215.0238.30.2700.24	Lotus incasso/30/2700-24#	30	2700	8.3	Plasterboard	Black/White (24)
1215.0238.30.4000.24	Lotus incasso/30/4000-24#	30	4000	8.3	Plasterboard	Black/White (24)
1215.0238.40.24	Lotus incasso/40/3000-24#	40	3000	8.3	Plasterboard	Black/White (24)
1215.0238.40.2700.24	Lotus incasso/40/2700-24#	40	2700	8.3	Plasterboard	Black/White (24)
1215.0238.40.4000.24	Lotus incasso/40/4000-24#	40	4000	8.3	Plasterboard	Black/White (24)
1215.0238.60.24	Lotus incasso/60/3000-24#	60	3000	8.3	Plasterboard	Black/White (24)
1215.0238.60.2700.24	Lotus incasso/60/2700-24#	60	2700	8.3	Plasterboard	Black/White (24)
1215.0238.60.4000.24	Lotus incasso/60/4000-24#	60	4000	8.3	Plasterboard	Black/White (24)



Article code	Article	Beam angle (°)	Light Temperature (°K)	Watt (W)	Type of recessed	Colour
1215.0230.30.2700.42	Lotus incasso/30/2700-42#	30	2700	8.3	Plasterboard	White/Black (42)
1215.0230.30.4000.42	Lotus incasso/30/4000-42#	30	4000	8.3	Plasterboard	White/Black (42)
1215.0230.30.42	LOTUS/INCASSO/30°-42	30	3000	8.3	Plasterboard	White/Black (42)
1215.0230.40.2700.42	Lotus incasso/40/2700-42#	40	2700	8.3	Plasterboard	White/Black (42)
1215.0230.40.4000.42	Lotus incasso/40/4000-42#	40	4000	8.3	Plasterboard	White/Black (42)
1215.0230.40.42	LOTUS/INCASSO/40°-42	40	3000	8.3	Plasterboard	White/Black (42)
1215.0230.60.2700.42	Lotus incasso/60/2700-42#	60	2700	8.3	Plasterboard	White/Black (42)
1215.0230.60.4000.42	Lotus incasso/60/4000-42#	60	4000	8.3	Plasterboard	White/Black (42)
1215.0230.60.42	Lotus incasso/60/3000-42#	60	3000	8.3	Plasterboard	White/Black (42)
1215.0238.30.2700.42	Lotus incasso/30/2700-42#	30	2700	8.3	Plasterboard	White/Black (42)
1215.0238.30.4000.42	Lotus incasso/30/4000-42#	30	4000	8.3	Plasterboard	White/Black (42)
1215.0238.30.42	Lotus incasso/30/3000-42#	30	3000	8.3	Plasterboard	White/Black (42)
1215.0238.40.2700.42	LOTUS/INCASSO/40°-42 2700°K DALI	40	2700	8.3	Plasterboard	White/Black (42)
1215.0238.40.4000.42	Lotus incasso/40/4000-42#	40	4000	8.3	Plasterboard	White/Black (42)
1215.0238.40.42	LOTUS/INCASSO/40°-42 DALI	40	3000	8.3	Plasterboard	White/Black (42)
1215.0238.60.2700.42	Lotus incasso/60/2700-42#	60	2700	8.3	Plasterboard	White/Black (42)
1215.0238.60.4000.42	Lotus incasso/60/4000-42#	60	4000	8.3	Plasterboard	White/Black (42)
1215.0238.60.42	LOTUS/INCASSO/60°-42 DALI	60	3000	8.3	Plasterboard	White/Black (42)



Article code	Name	Description
18.1002.PK	RF70/PK	Plaster kit per proiettore ad incasso RF70