





MACROLUX




Article code	Article	Colour	Beam angle (°)	Light Temperature (°K)	Watt (W)
1215.0048.08.30.2	LOTUS/48V/30°-2 DALI	Black (2)	30	3000	8.3
1215.0048.08.30.2700.2	Lotus Track/30/2700-2#	Black (2)	30	2700	8.3
1215.0048.08.30.4000.2	Lotus Track/30/4000-2#	Black (2)	30	4000	8.3
1215.0048.08.40.2	LOTUS/48V/40°-2 DALI	Black (2)	40	3000	8.3
1215.0048.08.40.2700.2	LOTUS/48V/40°-2 DALI 2700°K	Black (2)	40	2700	8.3
1215.0048.08.40.4000.2	Lotus Track/40/4000-2#	Black (2)	40	4000	8.3
1215.0048.08.60.2	LOTUS/48V/60°-2 DALI	Black (2)	60	3000	8.3
1215.0048.08.60.2700.2	LOTUS/48V/60°-2 DALI 2700°K	Black (2)	60	2700	8.3
1215.0048.08.60.4000.2	Lotus Track/60/4000-2#	Black (2)	60	4000	8.3
1215.0048.30.2	LOTUS/48V/30°-2	Black (2)	30	3000	8.3
1215.0048.30.2700.2	LOTUS/48V/30°-2 2700°K	Black (2)	30	2700	8.3
1215.0048.30.4000.2	Lotus Track/30/4000-2#	Black (2)	30	4000	8.3
1215.0048.40.2	LOTUS/48V/40°-2	Black (2)	40	3000	8.3
1215.0048.40.2700.2	LOTUS/48V/40°-2 2700°K	Black (2)	40	2700	8.3
1215.0048.40.4000.2	Lotus Track/40/4000-2#	Black (2)	40	4000	8.3
1215.0048.60.2	LOTUS/48V/60°-2	Black (2)	60	3000	8.3
1215.0048.60.2700.2	Lotus Track/60/2700-2#	Black (2)	60	2700	8.3
1215.0048.60.4000.2	Lotus Track/60/4000-2#	Black (2)	60	4000	8.3




Article code	Article	Colour	Beam angle (°)	Light Temperature (°K)	Watt (W)
1215.0048.08.30.2700.4	Lotus Track/30/2700-4#	White (4)	30	2700	8.3
1215.0048.08.30.4	LOTUS/48V/30°-4 DALI	White (4)	30	3000	8.3
1215.0048.08.30.4000.4	Lotus Track/30/4000-4#	White (4)	30	4000	8.3
1215.0048.08.40.2700.4	Lotus Track/40/2700-4#	White (4)	40	2700	8.3
1215.0048.08.40.4	LOTUS/48V/40°-4 DALI	White (4)	40	3000	8.3
1215.0048.08.40.4000.4	Lotus Track/40/4000-4#	White (4)	40	4000	8.3
1215.0048.08.60.2700.4	LOTUS/48V/60°-4 DALI 2700°K	White (4)	60	2700	8.3
1215.0048.08.60.4	LOTUS/48V/60°-4 DALI	White (4)	60	3000	8.3
1215.0048.08.60.4000.4	Lotus Track/60/4000-4#	White (4)	60	4000	8.3
1215.0048.30.2700.4	Lotus Track/30/2700-4#	White (4)	30	2700	8.3
1215.0048.30.4	LOTUS/48V/30°-4	White (4)	30	3000	8.3
1215.0048.30.4000.4	Lotus Track/30/4000-4#	White (4)	30	4000	8.3
1215.0048.40.2700.4	Lotus Track/40/2700-4#	White (4)	40	2700	8.3
1215.0048.40.4	LOTUS/48V/40°-4	White (4)	40	3000	8.3
1215.0048.40.4000.4	Lotus Track/40/4000-4#	White (4)	40	4000	8.3
1215.0048.60.2700.4	Lotus Track/60/2700-4#	White (4)	60	2700	8.3
1215.0048.60.4	Lotus Track/60/3000-4#	White (4)	60	3000	8.3
1215.0048.60.4000.4	Lotus Track/60/4000-4#	White (4)	60	4000	8.3




Article code	Article	Beam angle (°)	Light Temperature (°K)	Watt (W)	Colour
1215.0048.08.30.2700.864	Lotus Track/30/2700-864#	30	2700	8.3	Bluish Gray (862)
1215.0048.08.30.4000.864	Lotus Track/30/4000-864#	30	4000	8.3	Bluish Gray (862)
1215.0048.08.30.864	Lotus Track/30/3000-864#	30	3000	8.3	Bluish Gray (862)
1215.0048.08.40.2700.864	Lotus Track/40/2700-864#	40	2700	8.3	Bluish Gray (862)
1215.0048.08.40.4000.864	Lotus Track/40/4000-864#	40	4000	8.3	Bluish Gray (862)
1215.0048.08.40.864	Lotus Track/40/3000-864#	40	3000	8.3	Bluish Gray (862)
1215.0048.08.60.2700.864	Lotus Track/60/2700-864#	60	2700	8.3	Bluish Gray (862)
1215.0048.08.60.4000.864	Lotus Track/60/4000-864#	60	4000	8.3	Bluish Gray (862)
1215.0048.08.60.864	Lotus Track/60/3000-864#	60	3000	8.3	Bluish Gray (862)
1215.0048.30.2700.864	Lotus Track/30/2700-864#	30	2700	8.3	Bluish Gray (862)
1215.0048.30.4000.864	Lotus Track/30/4000-864#	30	4000	8.3	Bluish Gray (862)
1215.0048.30.864	Lotus Track/30/3000-864#	30	3000	8.3	Bluish Gray (862)
1215.0048.40.2700.864	Lotus Track/40/2700-864#	40	2700	8.3	Bluish Gray (862)
1215.0048.40.4000.864	Lotus Track/40/4000-864#	40	4000	8.3	Bluish Gray (862)
1215.0048.40.864	Lotus Track/40/3000-864#	40	3000	8.3	Bluish Gray (862)
1215.0048.60.2700.864	Lotus Track/60/2700-864#	60	2700	8.3	Bluish Gray (862)
1215.0048.60.4000.864	Lotus Track/60/4000-864#	60	4000	8.3	Bluish Gray (862)
1215.0048.60.864	Lotus Track/60/3000-864#	60	3000	8.3	Bluish Gray (862)




Article code	Article	Beam angle (°)	Light Temperature (°K)	Watt (W)	Colour
1215.0048.08.30.2700.874	Lotus Track/30/2700-874#	30	2700	8.3	Silk Gray (874)
1215.0048.08.30.4000.874	Lotus Track/30/4000-874#	30	4000	8.3	Silk Gray (874)
1215.0048.08.30.874	Lotus Track/30/3000-874#	30	3000	8.3	Silk Gray (874)
1215.0048.08.40.2700.874	Lotus Track/40/2700-874#	40	2700	8.3	Silk Gray (874)
1215.0048.08.40.4000.874	Lotus Track/40/4000-874#	40	4000	8.3	Silk Gray (874)
1215.0048.08.40.874	Lotus Track/40/3000-874#	40	3000	8.3	Silk Gray (874)
1215.0048.08.60.2700.874	Lotus Track/60/2700-874#	60	2700	8.3	Silk Gray (874)
1215.0048.08.60.4000.874	Lotus Track/60/4000-874#	60	4000	8.3	Silk Gray (874)
1215.0048.08.60.874	Lotus Track/60/3000-874#	60	3000	8.3	Silk Gray (874)
1215.0048.30.2700.874	Lotus Track/30/2700-874#	30	2700	8.3	Silk Gray (874)
1215.0048.30.4000.874	Lotus Track/30/4000-874#	30	4000	8.3	Silk Gray (874)
1215.0048.30.874	Lotus Track/30/3000-874#	30	3000	8.3	Silk Gray (874)
1215.0048.40.2700.874	Lotus Track/40/2700-874#	40	2700	8.3	Silk Gray (874)
1215.0048.40.4000.874	Lotus Track/40/4000-874#	40	4000	8.3	Silk Gray (874)
1215.0048.40.874	LOTUS/48V/40°-874	40	3000	8.3	Silk Gray (874)
1215.0048.60.2700.874	Lotus Track/60/2700-874#	60	2700	8.3	Silk Gray (874)
1215.0048.60.4000.874	Lotus Track/60/4000-874#	60	4000	8.3	Silk Gray (874)
1215.0048.60.874	Lotus Track/60/3000-874#	60	3000	8.3	Silk Gray (874)




Article code	Article	Beam angle (°)	Light Temperature (°K)	Watt (W)	Colour
1215.0048.08.30.2700.962	LOTUS/48V/30°-962 DALI 2700°K	30	2700	8.3	Bronze/Black (962)
1215.0048.08.30.4000.962	Lotus Track/30/4000-962#	30	4000	8.3	Bronze/Black (962)
1215.0048.08.30.962	LOTUS/48V/30°-962 DALI	30	3000	8.3	Bronze/Black (962)
1215.0048.08.40.2700.962	Lotus Track/40/2700-962#	40	2700	8.3	Bronze/Black (962)
1215.0048.08.40.4000.962	Lotus Track/40/4000-962#	40	4000	8.3	Bronze/Black (962)
1215.0048.08.40.962	LOTUS/48V/40°-962 DALI	40	3000	8.3	Bronze/Black (962)
1215.0048.08.60.2700.962	Lotus Track/60/2700-962#	60	2700	8.3	Bronze/Black (962)
1215.0048.08.60.4000.962	Lotus Track/60/4000-962#	60	4000	8.3	Bronze/Black (962)
1215.0048.08.60.962	Lotus Track/60/3000-962#	60	3000	8.3	Bronze/Black (962)
1215.0048.30.2700.962	Lotus Track/30/2700-962#	30	2700	8.3	Bronze/Black (962)
1215.0048.30.4000.962	Lotus Track/30/4000-962#	30	4000	8.3	Bronze/Black (962)
1215.0048.30.962	LOTUS/48V/30°-962	30	3000	8.3	Bronze/Black (962)
1215.0048.40.2700.962	Lotus Track/40/2700-962#	40	2700	8.3	Bronze/Black (962)
1215.0048.40.4000.962	Lotus Track/40/4000-962#	40	4000	8.3	Bronze/Black (962)
1215.0048.40.962	LOTUS/48V/40°-962	40	3000	8.3	Bronze/Black (962)
1215.0048.60.2700.962	Lotus Track/60/2700-962#	60	2700	8.3	Bronze/Black (962)
1215.0048.60.4000.962	Lotus Track/60/4000-962#	60	4000	8.3	Bronze/Black (962)
1215.0048.60.962	Lotus Track/60/3000-962#	60	3000	8.3	Bronze/Black (962)



Article code	Article	Beam angle (°)	Light Temperature (°K)	Watt (W)	Colour
1215.0048.08.30.2700.862	Lotus Track/30/2700-862#	30	2700	8.3	Bluish Gray (862)
1215.0048.08.30.4000.862	Lotus Track/30/4000-862#	30	4000	8.3	Bluish Gray (862)
1215.0048.08.30.862	Lotus Track/30/3000-862#	30	3000	8.3	Bluish Gray (862)
1215.0048.08.40.2700.862	Lotus Track/40/2700-862#	40	2700	8.3	Bluish Gray (862)
1215.0048.08.40.4000.862	Lotus Track/40/4000-862#	40	4000	8.3	Bluish Gray (862)
1215.0048.08.40.862	Lotus Track/40/3000-862#	40	3000	8.3	Bluish Gray (862)
1215.0048.08.60.2700.862	Lotus Track/60/2700-862#	60	2700	8.3	Bluish Gray (862)
1215.0048.08.60.4000.862	Lotus Track/60/4000-862#	60	4000	8.3	Bluish Gray (862)
1215.0048.08.60.862	Lotus Track/60/3000-862#	60	3000	8.3	Bluish Gray (862)
1215.0048.30.2700.862	Lotus Track/30/2700-862#	30	2700	8.3	Bluish Gray (862)
1215.0048.30.4000.862	Lotus Track/30/4000-862#	30	4000	8.3	Bluish Gray (862)
1215.0048.30.862	Lotus Track/30/3000-862#	30	3000	8.3	Bluish Gray (862)
1215.0048.40.2700.862	Lotus Track/40/2700-862#	40	2700	8.3	Bluish Gray (862)
1215.0048.40.4000.862	Lotus Track/40/4000-862#	40	4000	8.3	Bluish Gray (862)
1215.0048.40.862	LOTUS/48V/40°-862	40	3000	8.3	Bluish Gray (862)
1215.0048.60.2700.862	Lotus Track/60/2700-862#	60	2700	8.3	Bluish Gray (862)
1215.0048.60.4000.862	Lotus Track/60/4000-862#	60	4000	8.3	Bluish Gray (862)
1215.0048.60.862	Lotus Track/60/3000-862#	60	3000	8.3	Bluish Gray (862)



Article code	Article	Beam angle (°)	Light Temperature (°K)	Watt (W)	Colour
1215.0048.08.30.2700.872	Lotus Track/30/2700-872#	30	2700	8.3	Silk Gray (872)
1215.0048.08.30.4000.872	Lotus Track/30/4000-872#	30	4000	8.3	Silk Gray (872)
1215.0048.08.30.872	Lotus Track/30/3000-872#	30	3000	8.3	Silk Gray (872)
1215.0048.08.40.2700.872	Lotus Track/40/2700-872#	40	2700	8.3	Silk Gray (872)
1215.0048.08.40.4000.872	Lotus Track/40/4000-872#	40	4000	8.3	Silk Gray (872)
1215.0048.08.40.872	Lotus Track/40/3000-872#	40	3000	8.3	Silk Gray (872)
1215.0048.08.60.2700.872	Lotus Track/60/2700-872#	60	2700	8.3	Silk Gray (872)
1215.0048.08.60.4000.872	Lotus Track/60/4000-872#	60	4000	8.3	Silk Gray (872)
1215.0048.08.60.872	Lotus Track/60/3000-872#	60	3000	8.3	Silk Gray (872)
1215.0048.30.2700.872	Lotus Track/30/2700-872#	30	2700	8.3	Silk Gray (872)
1215.0048.30.4000.872	Lotus Track/30/4000-872#	30	4000	8.3	Silk Gray (872)
1215.0048.30.872	Lotus Track/30/3000-872#	30	3000	8.3	Silk Gray (872)
1215.0048.40.2700.872	Lotus Track/40/2700-872#	40	2700	8.3	Silk Gray (872)
1215.0048.40.4000.872	Lotus Track/40/4000-872#	40	4000	8.3	Silk Gray (872)
1215.0048.40.872	Lotus Track/40/3000-872#	40	3000	8.3	Silk Gray (872)
1215.0048.60.2700.872	Lotus Track/60/2700-872#	60	2700	8.3	Silk Gray (872)
1215.0048.60.4000.872	Lotus Track/60/4000-872#	60	4000	8.3	Silk Gray (872)
1215.0048.60.872	Lotus Track/60/3000-872#	60	3000	8.3	Silk Gray (872)



Article code	Name	Description	Colour
1.1200EN1812	DALIGATE 48V CASAMBI	Interfaccia Bluetooth-DALI compatibile con sistemi Bluetooth CASAMBI	Black (2)